## SECURITY MECHANISMS

### KEY LOCK / SAFETY HASP FOR CABINET — L3 / LP

334-335

- Locks all drawers in the cabinet at the same time
- Easy to retrofit
- The drawer layout can be changed without touching the locking mechanism
- To order a lock, add L3 to the cabinet housing or preconfigured model number e.g., LA30-182134L3
- To order a safety hasp, add LP to the cabinet housing product number e.g., LA30-182134LP
- For replacement parts or to retrofit this mechanism

| PRODUCT NO. | |
|---|---|
| L3 | Key lock |
| LP | Safety hasp |

### DRAWER LOCK — L3

334

- Two keys provided with each lock
- Compatible with all drawer dimensions
- The mechanism (covered by a galvanized steel box) requires 3"W×1"D space inside the drawer
- To order: Add L3 to the product number for the drawer or preconfigured compartment layout e.g., LF31-182106L3
- For replacement parts or to retrofit this mechanism

| PRODUCT NO. |
|---|
| L3 |

NOTE: An LF91 security panel must be ordered to block access between two drawers and if two different user access rights are required.

### DIGITAL LOCK FOR CABINET — L50

336

- Electronically locks all drawers in the cabinet at the same time
- No key required
- Up to 20 different users can be programmed
- 4-8 digit access codes
- Simplifies access management to drawers
- To order a lock, add L50 to the cabinet housing or preconfigured model number e.g., LA30-182134L50
- For replacement parts or to retrofit this mechanism,

| PRODUCT NO. |
|---|
| L50 |

### SMART LOCK FOR CABINET — L100

337

- Handy unlocking via a transponder or smartphone
- User-friendly and intuitive
- No key required
- Easy and comprehensive management
- To order a lock, add L100 to the cabinet housing or preconfigured model number e.g., LA30-182134L100
- For replacement parts or to retrofit this mechanism,

| PRODUCT NO. |
|---|
| L50 |

NOTE: NFC transponders are not included with the lock, they must be ordered separately (pack of 5). See page 338.

### LOCK-IN MECHANISM — B

- Activated with the right hand by sliding the mechanism with thumb
- The drawer closes without having to reactivate the sliding mechanism
- Stops drawers from opening on their own
- Easy to retrofit
- To order: Add B to the product number for the drawer or preconfigured compartment layout e.g., LF31-182106B
- For replacement parts or to retrofit this mechanism, order an LY01 and a LY02

| PRODUCT NO. |
|---|
| B |

### KEY LOCK / SAFETY HASP FOR DOORS — L3/LP

334-335

- Two keys provided with each lock
- To order a key lock, add L3 to the door product number e.g., LB30-1812L3
- To order a safety hasp, add LP to the door product number e.g., LB30-1812LP
- For replacement parts or to retrofit this mechanism,

| PRODUCT NO. | |
|---|---|
| L3 | Key lock |
| LP | Safety hasp |

NOTE: An LF91 security panel must be ordered to block access between two doors and if two different user access rights are required.

# ACCESSORIES

## DIGITAL LOCK FOR DOORS — L50

- Electronically locks a cabinet door
- No key required
- Up to 20 different users can be programmed
- 4-8 digit access codes
- To order: Add L50 to the door product code, e.g. LB30-1812L50

336

| PRODUCT NO. |
|---|
| L50 |

NOTE: Cannot be retrofitted.

## SMART LOCK FOR DOORS — L100

- Handy unlocking via a transponder or smartphone
- User-friendly and intuitive
- No key required
- Easy and comprehensive management
- To order: Add L100 to the door product code, e.g. LB30-1812L100

337

| PRODUCT NO. |
|---|
| L100 |

NOTES: Cannot be retrofitted.
NFC transponders are not included with the smart lock, they must be ordered separately (pack of 5). See page 338.

# DRAWER AND HANDLE ACCESSORIES

## HANDLE PROTECTOR — LF70

- Clips onto the drawer handle
- Made of transparent plastic
- Protects identification labels from dust, grease and dirt
- Easy to remove

| PRODUCT NO. |
|---|
| LF70-18 |

## HANDLE LABELS — LF71

- Labels to be attached to handles under the handle protector (LF70)
- 30 labels per page (10 pages)
- Print your own labels

| PRODUCT NO. |
|---|
| LF71-425075 |

## HANGING FILE BARS — LG31

- For storing hanging files
- Fits both letter and legal sizes
- For 12"H drawers

| PRODUCT NO. |
|---|
| LG31-18 |

## PVC DRAWER LINER — LG40

- Protects items stored in the drawer
- Non-slip material
- Can be installed under partitions and dividers
- Thickness: 3/32"

| PRODUCT NO. | FOR DRAWER |
|---|---|
| LG40-1821-01 | 18"W × 21"D |
| LG40-1827-01 | 18"W × 27"D |

## PROTECTIVE FOAM — LG41

- Protects items stored in the drawer
- Includes one piece of ¼"-thick blue foam

| PRODUCT NO. | FOR DRAWER |
|---|---|
| LG41-1821-01 | 18"W × 21"D |
| LG41-1827-01 | 18"W × 27"D |

NOTE: Partitions and dividers cannot be installed in the same drawer as this foam.

## TOOL FOAM — LG42



- Oil resistant and non-absorbent
- Includes one piece of ¼"-thick blue foam
- Includes one piece of ½"-thick black foam
- Sold without cut-outs. Can be cut with a utility knife

| PRODUCT NO. | FOR DRAWER |
|---|---|
| LG42-1821-01 | 18"W × 21"D |
| LG42-1827-01 | 18"W × 27"D |

Sold without cut-outs.

## FRONT TO BACK PARTITION — LG02

- Divides the drawer along its depth
- Clip system locks dividers in place
- Galvanized steel
- Compatible with RG10 dividers, which can be used to make smaller compartments between each partition
- Compatible with plastic bins and PVC drawer liners

| NOMINAL DRAWER HEIGHT (ACTUAL) | NOMINAL DRAWER DEPTH (ACTUAL) | |
|---|---|---|
| | 21" (18") | 27" (24") |
| 3" (1⅝"H) | LG02-2103 | LG02-2703 |
| 4" (2⅝"H) | LG02-2104 | LG02-2704 |
| 5" (3⅝"H) | LG02-2105 | LG02-2705 |
| 6" (4⅝"H) | LG02-2106 | LG02-2706 |
| 8" (6⅝"H) | LG02-2108 | LG02-2708 |
| 12" (8⅝"H) | LG02-2110 | LG02-2710 |

## PLASTIC BIN — RG20

- For easier storing, moving and managing of small parts
- Lightweight and durable
- For 3"H and 4"H drawers
- 45° angled rim for easy identification of bin contents and removal of bins
- Compatible with partitions and dividers
- 6" plastic bins can be subdivided

| DIMENSIONS | | | PRODUCT NO. | | |
|---|---|---|---|---|---|
| W | D | H | BIN | PARTITION | DIVIDER |
| 3" | 3" | 2" | RG20-030302 | - | - |
| 4" | 3" | 2" | RG20-040302 | - | - |
| 6" | 3" | 2" | RG20-060302 | RG22-0302 | - |
| 6" | 6" | 2" | RG20-060602 | RG22-0602 | RG24-0602 |
| 3" | 3" | 3" | RG20-030303 | - | - |
| 4" | 3" | 3" | RG20-040303 | - | - |
| 6" | 3" | 3" | RG20-060303 | RG22-0303 | - |
| 6" | 6" | 3" | RG20-060603 | RG22-0603 | RG24-0603 |

NOTE: 2"H bins = 1½" actual height
3"H bins = 2½" actual height

## DRAWER DIVIDER — RG10

- Dividers clip in place
- 45° angled edge for easy identification of compartment contents
- Adjustable in 3" increments (c/c)
- Galvanized steel

| NOMINAL DIVIDER WIDTH | NOMINAL DRAWER HEIGHT (ACTUAL) | | | | | |
|---|---|---|---|---|---|---|
| | 3" (1⅝"H) | 4" (2⅝"H) | 5" (3⅝"H) | 6" (4⅝"H) | 8" (6⅝"H) | 12" (8⅝"H) |
| 3" | RG10-03003 | RG10-03004 | RG10-03005 | RG10-03006 | RG10-03008 | RG10-03010 |
| 5" | RG10-05003 | RG10-05004 | RG10-05005 | RG10-05006 | RG10-05008 | RG10-05010 |
| 6" | RG10-06003 | RG10-06004 | RG10-06005 | RG10-06006 | RG10-06008 | RG10-06010 |
| 7½" | RG10-07503 | RG10-07504 | RG10-07505 | RG10-07506 | RG10-07508 | RG10-07510 |
| 9" | RG10-09003 | RG10-09004 | RG10-09005 | RG10-09006 | RG10-09008 | RG10-09010 |
| 10" | RG10-10003 | RG10-10004 | RG10-10005 | RG10-10006 | RG10-10008 | RG10-10010 |
| 12" | RG10-12003 | RG10-12004 | RG10-12005 | RG10-12006 | RG10-12008 | RG10-12010 |
| 15" | RG10-15003 | RG10-15004 | RG10-15005 | RG10-15006 | RG10-15008 | RG10-15010 |



# ACCESSORIES

## CABINET TOPS

### RESISTANT ACRYLIC/PVC PLASTIC LAMINATED TOP — WS08

- Ideal for assembly stations or for applications using solvents, oils or other chemical products
- Color: grey
- Sides protected with ⅛"-thick durable PVC
- Premium-quality laminated top
- Excellent chemical resistance (can be in prolonged contact with a substance)
- Superior abrasion resistance compared with standard laminated tops
- Superior impact resistance compared with standard laminated tops
- Attractive appearance
- Thickness: 1½"

### LAMINATED HARDWOOD TOP — WS14

- Top for general industrial applications
- Made from varnished hardwood slats
- Includes a 90° radius front edge for extra comfort
- High impact resistance
- Attractive appearance
- Thickness: 1¾"

### PLASTIC LAMINATED TOP — WS16

- Top for general use. Ideal for assembly stations, quality control and packaging
- Colors: Default is white. For another color, add "-BA" for black or "-GB" for gray to the end of the product number, e.g., WS16-6024A-BA for a black top
- Sides protected with ⅛"-thick durable PVC
- Includes a 90° radius front edge for extra comfort
- Attractive appearance
- Easy to clean
- Thickness: 1½"

White | Black -BA | Gray -GB

### STEEL TOP WITH RUBBER MAT — RC32

- Non-slip rubber surface
- Includes edges on the sides and back
- Height: 1"

### STAINLESS STEEL TOP — RC35

- Acts as a work surface and protects the cabinet from impacts
- Particle board top with stainless steel cover (#4 brushed finish)
- Excellent corrosion and chemical resistance
- Top complies with CARB regulations on formaldehyde emissions
- Includes welded corners for an attractive appearance
- Thickness: 1¾"

### PAINTED STEEL TOP — RC37

- Acts as a work surface and protects the cabinet from impacts
- Particle board top with painted steel cover
- Top complies with CARB regulations on formaldehyde emissions
- Includes welded corners for an attractive appearance
- Thickness: 1¾"

### DISSIPATIVE TOP — WS17

- Top for electronics tasks. Ideal for electronics inspection or assembly stations
- Color: white
- Sides protected with ⅛"-thick durable PVC
- Attractive appearance
- Easy to clean
- Includes a 90° radius front edge for extra comfort
- Dissipates electrical charges that can damage electronic components
- The resistance point to point and point to ground is between $10^6$ and $10^9$ Ω
- Thickness: 1½"

NOTE: Grounding accessories are sold separately, see page 35.

| DIMENSIONS | | CABINET TOPS | | | | | | |
|---|---|---|---|---|---|---|---|---|
| W | D | ACRYLIC/PVC PLASTIC LAMINATED | LAMINATED HARDWOOD | PLASTIC LAMINATED | DISSIPATIVE | STEEL TOP WITH RUBBER MAT | STAINLESS STEEL | PAINTED STEEL |
| 18" | 21" | | WS14-1821A | WS16-1821A-__ | | RC32-1821-01 | RC35-1821 | RC37-1821 |
| | 27" | | WS14-1827A | WS16-1827A-__ | | RC32-1827-01 | RC35-1827 | RC37-1827 |
| 36" | 21" | WS08-3621A | WS14-3621A | WS16-3621A-__ | WS17-3621A | RC32-3621-01 | RC35-3621 | RC37-3621 |
| | 27" | WS08-3627A | WS14-3627A | WS16-3627A-__ | WS17-3627A | RC32-3627-01 | RC35-3627 | RC37-3627 |
| 54" | 21" | WS08-5421A | WS14-5421A | WS16-5421A-__ | WS17-5421A | RC32-5421-01 | RC35-5421 | RC37-5421 |
| | 27" | WS08-5427A | WS14-5427A | WS16-5427A-__ | WS17-5427A | RC32-5427-01 | RC35-5427 | RC37-5427 |

## ESD PROTECTION

### ESD PROTECTION KIT FOR CABINETS — EA91-01

Grounding wrist strap
EA96-01

Wrist strap single socket
EA98-01

Grounding plug
EA99-01

Grounding cord
EA95-01

- Basic kit for grounding the operator and cabinet
- Kit includes an EA96 wrist strap, EA98 wrist strap socket, EA95 grounding cord, and EA99 grounding plug
- Grounding wrist strap includes a 6' cord with 1MΩ resistance

| PRODUCT NO. |
|---|
| EA91-01 |




### CONDUCTIVE PLASTIC BINS

285

### DISSIPATIVE TOP

12

### DISSIPATIVE PAINT

- Special paint dissipates electric charges (Black 090)

NOTE: Contact Customer Service for ESD paint prices.

### LEVELING GLIDE KIT — LA74



- Adjusts the height of cabinets 1⅛" to 2" on uneven floor surfaces
- Can be installed under cabinets with or without bases
- Includes two brackets and four leveling glides

| PRODUCT NO. | WIDTH |
|---|---|
| LA74-1801 | 18" |

### FLOOR ANCHORING KIT — LA76



- For anchoring a cabinet (without base) to the floor
- Includes one bolt for concrete floors

| PRODUCT NO. | WIDTH |
|---|---|
| LA76-1801 | 18" |

## STACKING CABINETS

### STACKING KIT — LA78



- For stacking an L compact cabinet on top of another
- Installs on the bottom of the top cabinet
- Includes two brackets and anchoring hardware

| PRODUCT NO. | WIDTH |
|---|---|
| LA78-1801 | 18" |

L3XJD-2802L3

# COMPONENTS

## HOUSINGS

### L COMPACT CABINET HOUSING — LA30

334-338

- Drawers, shelves and doors can be installed in the housing
- The housing units include knockouts:
  - On the top: for stacking an LD75 Housing for Drawer Unit or another LA30 L Compact Cabinet Housing. For the latter, order an LA78 Stacking Kit
  - On the sides and back: for assembling cabinets side to side and back to back, or for installing under a work surface. For the latter, order RA70 Cabinet Attachment Bars
- A 2" painted or stainless steel base can be added to make cabinet heights of 26", 30", 32", 36" and 42"
- A 4" painted or stainless steel base can be added to make cabinet heights of 28", 32", 34", 38" and 44"
- Four types of lock available: L3 for a key lock, LP for a safety hasp, L50 for an digital lock or L100 for a smart lock

| PRODUCT NO. | W×D×H |
|---|---|
| LA30-182124__ | 18"×21"×24" |
| LA30-182128__ | 18"×21"×28" |
| LA30-182130__ | 18"×21"×30" |
| LA30-182134__ | 18"×21"×34" |
| LA30-182140__ | 18"×21"×40" |
| LA30-182724__ | 18"×27"×24" |
| LA30-182728__ | 18"×27"×28" |
| LA30-182730__ | 18"×27"×30" |
| LA30-182734__ | 18"×27"×34" |
| LA30-182740__ | 18"×27"×40" |

NOTE: NFC transponders are not included with the smart lock, they must be ordered separately (pack of 5). **See page 338.**

### L COMPACT DRAWER — LF31

334

- 100lb. load capacity, 100% extension
- Vast choice of accessories available to customize the drawer to your storage needs
- Precision ball bearing drawer slides included
- Easy hook-on assembly
- For preconfigured drawer compartment layouts, **see pages 29-30**
- Drawer heights available: 3", 4", 5", 6", 8" and 12"
- To order: Add the drawer height required to the product number, e.g., LF31-182106
- To order a drawer lock, add L3 to the drawer product number, e.g., LF31-182704L3. The mechanism (covered by a galvanized steel box) requires 3"W×1"D space inside the drawer
- To order a drawer lock-in mechanism, add "B" to the drawer product number, e.g., LF31-182103B

| PRODUCT NO. | W×D | INSIDE DIM. |
|---|---|---|
| LF31-1821__ __ _ | 18"×21" | 15"×18" |
| LF31-1827__ __ _ | 18"×27" | 15"×24" |

### L 3-SIDES ACCESS ROLL-OUT SHELF — LF44



- 100lb. load capacity, 100% extension
- Precision ball bearing drawer slides included
- Easy hook-on assembly
- Galvanized steel top with 1½"H back
- Total height: 4"

| PRODUCT NO. | W×D | INSIDE DIM. |
|---|---|---|
| LF44-1821 | 18"×21" | 15"×18" |
| LF44-1827 | 18"×27" | 15"×24" |

### DRAWER AND ROLL-OUT SHELF DIMENSIONS



## HOUSING FOR DRAWER UNIT — LD75

- Installs on a cabinet or under a work surface
- 100lb. load capacity for each drawer in the unit, max. 175lb. per unit
- Compatible with LF31 compact drawers (not included)
- To order: Specify the drawer unit housing depth required, 21" or 27"

| PRODUCT NO. | INTERIOR DIM. |
|---|---|
| LD75-18__09 | 6" |
| LD75-18__12 | 9" |
| LD75-18__15 | 12" |

NOTE: Not compatible with the ElevaTek adjustable workstations.

## INTEGRATED DOOR — LB30

334-338

- Black plastic recessed handle
- The doors are factory installed with hinges on the left. They can be installed on the right upon request
- An LB24 Adjustable Shelf must be ordered as a storage surface for doors installed above a drawer or another door
- Four types of lock available: L3 for a key lock, LP for a safety hasp, L50 for an digital lock or L100 for a smart lock

| PRODUCT NO. | W×H |
|---|---|
| LB30-1812__ | 18"×12" |
| LB30-1818__ | 18"×18" |
| LB30-1820__ | 18"×20" |
| LB30-1824__ | 18"×24" |
| LB30-1826__ | 18"×26" |
| LB30-1830__ | 18"×30" |
| LB30-1836__ | 18"×36" |

NOTE: NFC transponders are not included with the smart lock, they must be ordered separately (pack of 5). See page 338.

## SECURITY PANEL — LF91



- Divides the cabinet up for use by more than one user
- Adjustable in 1" increments c/c
- Must be ordered to:
  - Block access between doors
  - Block access when a door with lock is installed under a drawer
  - Block the space left when a door is installed above a drawerr
- Two security panel versions available for housings with or without a central locking mechanism
- Galvanized steel
- To order: Specify the housing depth, 21" or 27"

| PRODUCT NO. | FOR LA30 |
|---|---|
| LF91-18__01 | With L3/LP on the housing |
| LF91-18__02 | Without L3/LP on the housing |

## CABINET BASE — LA85/LA86



- Painted steel: LA85
- Stainless steel: LA86
- Heights available: 2" and 4"
- Recessed 2" from the front to create more space for feet
- Compatible with LA74 Leveling Glide Kit
- To order: Specify the type of steel required, e.g., LA86-182704 for an 18"W×27"D×4"H stainless steel base

| PRODUCT NO. | W×D×H |
|---|---|
| LA__-182102 | 18"×21"×2" |
| LA__-182104 | 18"×21"×4" |
| LA__-182702 | 18"×27"×2" |
| LA__-182704 | 18"×27"×4" |

NOTE: Not compatible with LA76 Floor Anchoring Kit, LA78 Stacking Kit and casters

## DRAWER UNIT COVER — LD76

- Covers the top of an LD75 Housing for Drawer Unit when it is installed on a work surface

| PRODUCT NO. | W×D |
|---|---|
| LD76-1821 | 18"×21" |
| LD76-1827 | 18"×27" |

## VERTICAL SECURITY BAR — LB10

334-335

- Locks all drawers in a cabinet with a key or padlock
- The key or safety hasp is located at the top of the bar to facilitate access
- Covers a bank of drawers from 20" to 36" high
- Easy to assemble
- Installs on the right-hand side
- To order: Specify the type of lock required, LP for a safety hasp or L3 for a key lock

| PRODUCT NO. | CABINET HEIGHT | VERTICAL SECURITY BAR HEIGHT |
|---|---|---|
| LB10-24__A | 24" | 20" |
| LB10-28__A | 28" | 24" |
| LB10-30__A | 30" | 26" |
| LB10-34__A | 34" | 30" |
| LB10-40__A | 40" | 36" |

## SHELF — LB24

- For storage of bulky items
- Includes side and back edges
- Height can be adjusted in 1" increments c/c
- Up to 100lb. load capacity, evenly distributed
- Two shelf versions available for housings with or without a central locking mechanism
- Galvanized steel
- To order: Specify the housing depth, 21" or 27"

| PRODUCT NO. | FOR LA30 |
|---|---|
| LB24-18__01 | With L3/LP/L50/L100 on the housing |
| LB24-18__02 | Without L3/LP/L50/L100 on the housing |