Fireproof Vertical File Cabinet Specification Sheet SMS-01-V136-LGL*/LTR*

- 1 Solid, one-piece steel construction of the outer body provides superb durability
- 2 High-sided drawers and adjustable rails allow hanging-folder filing
- 3 Movable dividers accommodate standard folder filing in vertical files
- 4 Key-operated plunger lock ensures privacy
- 5 Proprietary Styronite insulation ensures a world-recognized certification of Class 350 – 1-hour fire protection from Europe's prestigious SP Institute; files are also explosion- and impact-resistant
- 6 Independently insulated drawers protect closed compartments if one is left open
- 7 Inner steel jackets prevent access from unlocked compartments and insulation from touching your documents
- 8 Labyrinth sealing system and special gaskets prevent water damage from fire-hose spray or sprinklers
- 9 Lock-bypass mechanism allows selected drawers to remain unlocked, even when the file is locked







_GL2W25 Putty

Vertical Files

With World Class vertical files, you'll experience elite on-site records protection, elegant design and guaranteed durability.



World Class Series Features

- Class 350 1-hour fire-resistant
- Impact-resistant for 30-foot drops
- Resists explosions of up to 2000°F
- MTC Grade B rating protects CDs, DVDs, USBs and memory sticks
- Labyrinth sealing system and special gaskets prevent water damage





LGL4W25 Black

		External			I	nterna		
Model	Size	н	W	D	н	W	D	Weight
Letter Size								
LTR2W25	2 drawer	28	161/8	25	10½	121⁄4	20	253 lbs.
LTR2W31	2 drawer	28	161/8	31	10½	121⁄4	26	326 lbs.
LTR4W25	4 drawer	54	161/8	25	10½	12 ¹ ⁄ ₄	20	437 lbs.
LTR4W31	4 drawer	54	161/8	31	10½	121⁄4	26	512 lbs.
Legal Size								
LGL2W25	2 drawer	28	191⁄8	25	10½	15	20	280 lbs.
LGL2W31	2 drawer	28	191⁄8	31	10½	15	26	356 lbs.
LGL4W25	4 drawer	54	191/8	25	10½	15	20	471 lbs.
LGL4W31	4 drawer	54	191/8	31	10½	15	26	550 lbs.
LGL4W31	4 drawer	54	191⁄8	31	10½	15	26	550 lbs.

- Height, width and depth measured in inches.

- Internal dimensions are per drawer.

- Two- and four-drawer vertical models; two-, three- and four-drawer lateral models
- Durable textured paint finish in black, putty or light gray
- Recessed drawer pulls
- Lock any number of drawers and leave the rest unlocked for customizable privacy
- Key-operated plunger lock for security
- Independent drawer insulation protects closed drawers if one is open during a fire
- Inner steel jackets cover insulation and block access via unlocked compartments
- Class 125 Media Insert available to protect data tapes and cartridges



CUSTOM CLASS FILES

Available as verticals or laterals, Custom Class fire files complement superior protection with customizable options, including colors and locks.

STANDARD FEATURES

If you're looking for all the right features and room to customize, Custom Class files are a perfect choice.

Vertical Features:

- Two, three and four drawers available in legaland letter-sized widths in 31"D models. Two and four drawers available in 25"D models.
- Perfect protection for paper, with the UL Class 350 — 1-hour fire-resistant rating
- Rated to resist explosions of up to 2000°F
- Design guards against water damage from fire hoses and sprinklers
- Gang lock, selective locking system, key lock for privacy, and follower blocks
- Steel-lined drawers keep insulation out of sight
- 10 standard color options





OPTIONAL ACCESSORIES

Custom Class vertical and lateral fire files are available with a full range of optional accessories for increased efficiency, including:

Interior cross trays

Permits the filing of checks and cards of various dimensions. Trays can easily be removed and carried to your work area and replaced in file drawer later.

Drawer-in-a-drawer

Factory-installed; doubles drawer capacity when filing card files or checks. Each drawer section opens independently for easy access.



Special lock options

Includes dial combination locks, electronic combination locks and additional key locks. Call to learn more about our locking options.

Row inserts

Installed in drawers to keep checks or card files neatly organized and easy to access.

Class 350 Media Insert

Option available to protect data tapes and cartridges. (See page 20 for more details.)







Phoenix Files

World Class protection for your most important documents.

Drotoction						External					Standard			
Protection			Class	Class Model #	Description	H W		D	Weight		Protection			n
Co	odes	,												
Pho	penix products are			LTR2W25	2 dr 25"D letter	28	161/8	25	253 lbs.	Ρ	W		NS	FAF M
extensively tested to				LTR2W31	2 dr 31"D letter	28	161/8	31	326 lbs.	Ρ	w		NS	FAF M
ensure that they protect				LTR4W25	4 dr 25"D letter	54	161/8	25	437 lbs.	Ρ	W	I E	NS	FAF M
your records and data from numerous disasters.			WORLD	LTR4W31	4 dr 31"D letter	54	161/8	31	512 lbs.	Ρ	w	1	NS	FAF M
			CLASS	LGL2W25	2 dr 25"D legal	28	191/8	25	280 lbs.	Ρ	w	1	NS	FAF M
				LGL2W31	2 dr 31"D legal	28	191/8	31	356 lbs.	Ρ	w	I E	NS	FAF M
	nelp you determine			LGL4W25	4 dr 25"D legal	54	191/8	25	471 lbs.	Ρ	w		NS	FAF M
the best fit for your		U L	2	LGL4W31	4 dr 31"D legal	54	191/8	31	550 lbs.	Ρ	w	1	NS	FAF M
	ds, we have detailed	ā	FILES											
	type of protection	VEDTICAL	Ę	2LTR-25	2 dr 25"D letter	28	16¾	25	290 lbs.	Ρ	w	E	NS	FAF
you can expect from our fire-resistant files and safes. Below is the key to				2LTR-31	2 dr 31"D letter	28	16¾	31	350 lbs.	Ρ	W	E	NS	FAF
		VED		3LTR-31	3 dr 31"D letter	41	16¾	31	425 lbs.	Ρ	w	E	NS	FAF
	codes you see listed			4LTR-25	4 dr 25"D letter	54	16¾	25	550 lbs.	Ρ	w	E	NS	FAF
in the following tables:			CUSTOM	4LTR-31	4 dr 31"D letter	54	16¾	31	600 lbs.	Ρ	w	E	NS	FAF
in the following tables.	CLASS		2LGL-25	2 dr 25"D legal	28	19 ¾	25	330 lbs.	Ρ	w	G	NS	FAF	
				2LGL-31	2 dr 31"D legal	28	19 ¾	31	385 lbs.	Ρ	w	E	NS	FAF
	Fire protection for paper documents			3LGL-31	3 dr 31"D legal	41	19 ¾	31	520 lbs.	Ρ	W	E	NS	FAF
				4LGL-25	4 dr 25"D legal	54	19 ¾	25	600 lbs.	Ρ	w	E	NS	FAF
W	Water-resistant			4LGL-31	4 dr 31"D legal	54	19 ¾	31	670 lbs.	Ρ	w	E	NS	FAF
-		·			_									
				LAT2W31	2 dr 31"W lateral	28 ¾	31	23 %	335 lbs.	Ρ	w		NS	FAF M
	Impact-resistant			LAT2W38	2 dr 38"W lateral	28¾	38%	23 %	483 lbs.	Р	w		NS	FAF M
				LAT2W44	2 dr 44"W lateral	28¾	-	23%	592 lbs.	Р	w		NS	FAF M
	Explosion-tested			LAT3W31	3 dr 31"W lateral	41¾		235/8	500 lbs.	Р	w		NS	FAF M
			WORLD	LAT3W38	3 dr 38"W lateral		38%	23%	694 lbs.	Р	_		NS	FAF M
NS Normal security ratin	Normal security rating		CLASS	LAT3W44	3 dr 44"W lateral	41¾		235/8	771 lbs.	Ρ	w		NS	FAF M
		FILES		LAT4W31	4 dr 31"W lateral	54%		23%	668 lbs.	Р	w		NS	FAF M
FAF Free after-fire replacement	Free after-fire	ā		LAT4W38	4 dr 38"W lateral		38%	23 %	878 lbs.	Р	w		NS	FAF M
				LAT4W44	4 dr 44"W lateral	54 ⁵ / ₇		23%	972 lbs.	_	W		NS	FAF M
						0.77		20/0	0.2.1001					
	MTC Grade B computer media protection	-	1	2-38	2 dr 38"W lateral	29	38¾	231/2	538 lbs.	Ρ	W	E	NS	FAF
				2-44	2 dr 44"W lateral	29	44	23 ¹ / ₂	642 lbs.	P		6		FAF
	Class-125 data		CUCTOM	3-38	3 dr 38"W lateral	42	38 ³ ⁄ ₄	23 ¹ / ₂	830 lbs.	P		6	_	_
			CUSTOM CLASS	3-44	3 dr 44"W lateral	42	44	23 ¹ / ₂	900 lbs.	P			NS	
	Dunelan ese it sti		02.00	3-44 4-38	4 dr 38"W lateral	42 55	44 38¾	23 ¹ / ₂	900 lbs. 985 lbs.	P		6		FAF
	Burglary security rating			4-44	4 dr 44"W lateral	55	44	23 ¹ / ₂	1075 lbs.	P				
				+-++	4 ul 44 W lateral	55	44	20/2	1073 108.				NS	

