

Portable Hand Washing Station Specification Sheet

SMS-02-V69-PHS

Portable Hand Sinks with Stainless Steel Cabinet

Short Form Specifications

Heavy gauge stainless steel cabinet with double pan hinged stainless steel door and lock. Furnished with deck mount faucet, soap dispenser, paper towel dispenser, trash chute, 115 volt pump, 5-gallon fresh water tank, and 7-gallon waste water tank, GFCI electrical outlet, 10' cord/plug with cord wrap. Units available with 14" x 10" x 5" deep stainless steel sink bowl, three-compartment bowl (each compartment is 11 $\frac{1}{2}$ " x 6 $\frac{1}{8}$ " x 5"), or patented 12 $\frac{1}{2}$ " x 16" removable acrylic water plate (patent #9,790,674).



with stainless steel bowl
(shown with door open)

PATENTED!
(U.S. Patent #9,790,674)



with acrylic bowl
(paper towels sold separately)

Options / Accessories

- Stainless steel towel
- dispenser Electronic-eye
- faucet Perimeter bumper
- Extra 5-gallon fresh tank Extra
- 7-gallon soiled tank

- Etching in Acrylic Water Plate (custom option)

MODELS:

- PHS-A-C
- PHS-A-H
- PHS-S-C
- PHS-S-H
- PHS-S3-C
- PHS-S3-H

Features

- Available with hot and cold water which includes a hot water heater, or just cold water.
- Stainless steel cabinet body with locking door.
- Deck mount faucet with 8" (203mm) spout and ¼-turn handles.
- Standard towel rack accommodates standard household paper towels.
- Deck mount soap dispenser.
- 4" (102mm) swivel casters (two with brake) with non-marking tread—weight capacity of 150 lbs. (68.0 kg) per caster.
- 5-gallon fresh water tank.
- 7-gallon soiled water tank.
- Box marine edge top.

Bowls

- Single stainless steel bowl is 14" x 10" x 5" (356 x 254 x 127mm) deep.
- Three-compartment bowl is 21" x 13" x 5" (533 x 330 x 127mm). Each compartment is 11 $\frac{1}{2}$ " x 6 $\frac{1}{8}$ " x 5" (295 x 156 x 127mm).
- Patented removable acrylic water plate (patent #9,790,674) is 12 $\frac{1}{2}$ " x 16" (318 x 406mm) and drains into a stainless steel trough.



Portable Hand Sinks with Open Base

Short Form Specifications

Heavy gauge stainless steel tabletop with 10³/₈" x 12³/₄" x 6" removable pan, deck mount faucet, and trash chute.

Furnished with soap dispenser, paper towel dispenser, 115-volt pump, 5-gallon fresh water tank(s), 7-gallon waste water tank(s), and GFCI electrical outlet. Choice of 30" x 30" unit with a stainless steel solid undershelf and 1¹/₂"-diameter legs, or 30" x 42" unit with black epoxy coated wire undershelf and 1"-diameter legs.

MODELS:

PHSE-S-C

PHSEWB-S-C

PHSE-S-H

PHSEWB-S-H



*unit with solid undershelf
(shown with optional wrist handle faucet)*



...with wire undershelf

Features of both models

- "-H" models provided with 2.5-gallon water heater and accumulator tank.
- Platform for hot water heater features NEMA 5-15R GFCI electrical outlet.
- Patented uni-lok[®] gusset system (patent #5,165,349): gussets are recessed into hat channel, reducing lateral movement.
- 16 gauge 300 series polished stainless steel tabletop.
- 10³/₈" x 12³/₄" x 6" (264 x 324 x 152mm) removable pan.
- Towel rack, mounted to underside of tabletop, accommodates standard household paper towels.
- Deck mount soap dispenser with 16-oz. container and 4" (102mm) chrome spout.
- Built-in trash chute and trash can.
- Square edge top with ends turned down 90°, providing for flush installations when required.
- 4" (102mm) casters—two with brake.

Features of Portable Hand Sink with Solid Undershelf

- 30" x 30" (762 x 762mm) tabletop.
- Deck mount faucet with gooseneck spout.
- One 5-gallon fresh water tank.
- One 7-gallon soiled water tank.
- Heavy gauge stainless steel undershelf, with marine edge design, features cord wrap.
- 1¹/₂" (41mm)-diameter heavy duty stainless steel legs.


Features of Portable Hand Sink with Wire Undershelf

- 30" x 42" (762 x 1067mm) tabletop.
- Deck mount faucet with 8" (203mm) spout.
- Two 5-gallon fresh water tanks.
- Two 7-gallon soiled water tanks.
- 24" x 42" (610 x 1067mm) wire undershelf, featuring patented Quad-Truss[®] design (patent #5,390,803), with black epoxy finish.
- Three-sided wire truss frame with black epoxy finish.
- 1" (25mm)-diameter legs with black epoxy finish.



Portable Hand Washing Station with Open Base

...with Solid Undershelf




(Note: shown with optional wrist handle faucet)

| O.A. length | | O.A. width | | height * | | pan length | | pan width | | pan depth | | model # |
|-------------|-----|------------|-----|--------------------|-----|--------------------|-----|--------------------|-----|-----------|-----|-------------------|
| in. | mm | in. | mm | in. | mm | in. | mm | in. | mm | in. | mm | |
| 30" | 762 | 30" | 762 | 34 $\frac{1}{8}$ " | 886 | 10 $\frac{3}{8}$ " | 264 | 12 $\frac{3}{4}$ " | 324 | 6" | 152 | PHSE-S-C |
| 30" | 762 | 30" | 762 | 34 $\frac{1}{8}$ " | 886 | 10 $\frac{3}{8}$ " | 264 | 12 $\frac{3}{4}$ " | 324 | 6" | 152 | PHSE-S-H** |

* Working height, excludes height of faucet; ** Includes 2.5-gallon water heater and accumulator tank.

...with Wire Undershelf



| O.A. length | | O.A. width | | height * | | pan length | | pan width | | pan depth | | model # |
|-------------|------|------------|-----|--------------------|-----|--------------------|-----|--------------------|-----|-----------|-----|---------------------|
| in. | mm | in. | mm | in. | mm | in. | mm | in. | mm | in. | mm | |
| 42" | 1067 | 30" | 762 | 37 $\frac{1}{8}$ " | 961 | 10 $\frac{3}{8}$ " | 264 | 12 $\frac{3}{4}$ " | 324 | 6" | 152 | PHSEWB-S-C |
| 42" | 1067 | 30" | 762 | 37 $\frac{1}{8}$ " | 961 | 10 $\frac{3}{8}$ " | 264 | 12 $\frac{3}{4}$ " | 324 | 6" | 152 | PHSEWB-S-H** |

* Working height, excludes height of faucet; ** Includes 2.5-gallon water heater and accumulator tank.



Portable Hand Washing Station with Stainless Steel Cabinet

Overall dimensions of all units are 24" width, 26" length, and 44½" height. 4" swivel casters—two with brake—with 150 lb. weight capacity per caster.

Sinks with Stainless Steel Bowl...

...with Cold Water Only

| sink width | sink length | sink depth | weight * | | model # | | |
|------------|-------------|------------|----------|------|---------|-----------|----------------|
| in. | mm | in. | mm | lbs. | kg | | |
| 14" | 356 | 10" | 256 | 5" | 127 | 232 105.2 | PHS-S-C |

...with Hot & Cold Water**

| sink width | sink length | sink depth | weight * | | model # | | |
|------------|-------------|------------|----------|-----|---------|-----------|----------------|
| in. | mm | in. | mm | in. | mm | | |
| 14" | 356 | 10" | 256 | 5" | 127 | 251 113.9 | PHS-S-H |

Sinks with Three-Compartment Bowl...

...with Cold Water Only

| sink width | sink length | sink depth | weight * | | model # | | |
|------------|-------------|------------|----------|-----|---------|-----------|-----------------|
| in. | mm | in. | mm | in. | mm | | |
| 11½" | 295 | 6½" | 156 | 5" | 127 | 232 105.2 | PHS-S3-C |

...with Hot & Cold Water**

| sink width | sink length | sink depth | weight * | | model # | | |
|------------|-------------|------------|----------|-----|---------|-----------|-----------------|
| in. | mm | in. | mm | in. | mm | | |
| 11½" | 295 | 6½" | 156 | 5" | 127 | 251 113.9 | PHS-S3-H |

Sinks with Removable Acrylic Water Plate ▼

...with Cold Water Only

| plate width | plate length | weight * | | model # | | |
|-------------|--------------|----------|-----|---------|-------|----------------|
| in. | mm | in. | mm | lbs. | kg | |
| 12½" | 318 | 16" | 406 | 232 | 105.2 | PHS-A-C |

...with Hot & Cold Water**

| plate width | plate length | weight * | | model # | | |
|-------------|--------------|----------|-----|---------|-------|----------------|
| in. | mm | in. | mm | lbs. | kg | |
| 12½" | 318 | 16" | 406 | 251 | 113.9 | PHS-A-H |

* Weights reflect empty water tanks.



** Hot water heater plugs into a standard 110 outlet. Features a glass lined tank for longer life and a temperature/pressure relief valve.

▼ Features removable polycarbonate water plate which drains into a stainless steel trough, and deck-mount faucet.

▼ Optional Cutting Board for Sinks with Water Plate

Remove the water plate first, then simply lay the cutting board across the top of the unit.

model # **376509**



Portable Hand Sink Supply Carts

Short Form Specifications

24" x 24" wire shelf with patented Quad-Truss® design (patent #5,390,803). 17 $\frac{3}{8}$ " x 7 $\frac{1}{2}$ " x 10" wire storage basket. 24" x 24" four-sided wire truss frame. All components are chrome plated. 5" diameter casters, two with brake, with resilient tread and donut bumper. Push handle at 37" height. 39" overall height.

MODELS:

- PHS-CLNTNK*
- PHS-SUPCRT-A*
- PHS-SUPCRT-B*
- PHS-WSTTNK*



#PHS-SUPCRT-B

#PHS-SUPCRT-A

- 24" x 24" (610 x 610mm) chrome-plated wire shelf with patented Quad-Truss® design (patent #5,390,803).
- 17 $\frac{3}{8}$ "-long x 7 $\frac{1}{2}$ "-wide x 10"-high (441 x 191 x 254mm) chrome-plated wire storage basket ideal for standard paper towel rolls.
- 24" x 24" (610 x 610mm) chrome-plated four-sided wire truss frame.
- Accommodates two 5-gallon tanks and two 7-gallon tanks.
- 5" (127mm) casters—two with brake—with resilient tread and donut bumper.
- Push handle.
- 39" (950mm) overall height.

#PHS-SUPCRT-B

- Same as #PHS-SUPCRT-A, plus...
- Includes two 5-gallon fresh water tanks and two 7-gallon waste water tanks.

#PHS-CLNTNK




- 5-gallon fresh water tank.

#PHS-WSTTNK

- 7-gallon waste water tank.



Portable Hand Sink Supply Carts



| description | O.A. width | | O.A. length | | O.A. height | | model # |
|---------------------------------|------------------------------------|------|-----------------------------------|-----|-------------|-----|---------------------|
| | in. | mm | in. | mm | in. | mm | |
| supply cart without water tanks | 31 ¹⁵ / ₁₆ " | 1811 | 26 ³ / ₁₆ " | 665 | 39" | 990 | PHS-SUPCRT-A |
| supply cart with water tanks | 31 ¹⁵ / ₁₆ " | 1811 | 26 ³ / ₁₆ " | 665 | 39" | 990 | PHS-SUPCRT-B |

Water Tanks

| description | O.A. width | | O.A. length | | O.A. height | | model # |
|------------------------------------|----------------------------------|-----|-------------|-----|----------------------------------|-----|-------------------|
| | in. | mm | in. | mm | in. | mm | |
| 5-gallon fresh water tank, plastic | 10" | 254 | 10" | 254 | 15" | 381 | PHS-CLNTNK |
| 7-gallon waste water tank, plastic | 10 ³ / ₈ " | 270 | 11" | 279 | 19 ¹ / ₂ " | 486 | PHS-WSTTNK |



Portable Hand Sinks with Laminated Cabinet

Short Form Specifications

25" x 28" stainless steel top with marine edge and rear backsplash. Sink complete with choice of either three 11 1/2" x 6 1/2" x 5"-deep compartments, one 14" x 10" x 5" sink bowl, or 12" x 16" acrylic water plate. Deck-mount faucet with swivel spout and wrist handles. Furnished with soap dispenser, 115-volt pump, 5-gallon fresh water tank, 7-gallon waste water tank, GFCI electrical outlet, and 10' cord/plug with cord wrap.

MODELS:

- PHS-A-C-LB
- PHS-A-H-LB
- PHS-S-C-LB
- PHS-S-H-LB
- PHS-S3-C-LB
- PHS-S3-H-LB



with stainless steel bowl



with acrylic bowl

Features

- Plywood cabinet base with "Biltmore Cherry" Wilsonart® laminated millwork.
- Locking doors with satin finish handles.
- Deck mount faucet with 8" spout and 1/4-turn handles.
- Deck mount soap dispenser.
- 3" recessed plate casters with rubber tread—weight capacity of 150 lbs. (68.0 kg) per caster.
- 5-gallon fresh water tank.
- 7-gallon soiled water tank.
- Stainless steel top features marine edge, 6"-diameter scrap chute, and 8 1/2"-high backsplash with paper towel dispenser.
- Units with hot & cold water include 2.5-gallon hot water heater and bracket.

Bowls

- Single stainless steel bowl is 14" x 10" x 5" (356 x 254 x 127mm) deep.
- Three-compartment bowl is 21" x 13" x 5" (533 x 330 x 127mm). Each compartment is 11 5/8" x 6 1/8" x 5" (295 x 156 x 127mm).
- Patented removable acrylic water plate (patent #9,790,674) is 12 1/2" x 16" (318 x 406mm) and drains into a stainless steel trough.

Options / Accessories

- Perimeter bumper Extra
- 5-gallon fresh tank Extra
- 7-gallon soiled tank
- Etching in Acrylic Water Plate (custom option)



Portable Hand Sinks with Laminated Cabinet

Overall dimensions of all units are 25" width, 28" length, and 44 1/2" height. 3" swivel casters—two with brake—with 150 lb. weight capacity per caster.

Sinks with Stainless Steel Bowl...

...with Cold Water Only

| sink width | sink length | sink depth | weight * | | model # | |
|------------|-------------|------------|----------|------|---------|-------------------|
| in. | mm | in. | mm | lbs. | kg | |
| 14" | 356 | 10" | 256 | 237 | 107.5 | PHS-S-C-LB |

...with Hot & Cold Water**

| sink width | sink length | sink depth | weight * | | model # | |
|------------|-------------|------------|----------|------|---------|-------------------|
| in. | mm | in. | mm | lbs. | kg | |
| 14" | 356 | 10" | 256 | 262 | 118.8 | PHS-S-H-LB |

Sinks with Three-Compartment Bowl...

...with Cold Water Only

| sink width | sink length | sink depth | weight * | | model # | |
|------------|-------------|------------|----------|------|---------|--------------------|
| in. | mm | in. | mm | lbs. | kg | |
| 11 1/2" | 295 | 6 1/2" | 156 | 237 | 107.5 | PHS-S3-C-LB |

...with Hot & Cold Water**

| sink width | sink length | sink depth | weight * | | model # | |
|------------|-------------|------------|----------|------|---------|--------------------|
| in. | mm | in. | mm | lbs. | kg | |
| 11 1/2" | 295 | 6 1/2" | 156 | 262 | 118.8 | PHS-S3-H-LB |

Sinks with Removable Acrylic Water Plate

...with Cold Water Only

| plate width | plate length | weight * | | model # | |
|-------------|--------------|----------|-----|---------|-------|
| in. | mm | in. | mm | lbs. | |
| 12 1/2" | 318 | 16" | 406 | 237 | 107.5 |

...with Hot & Cold Water**

| plate width | plate length | weight * | | model # | |
|-------------|--------------|----------|-----|---------|-------|
| in. | mm | in. | mm | lbs. | |
| 12 1/2" | 318 | 16" | 406 | 262 | 118.8 |

* Weights reflect empty water tanks.

** Hot water heater plugs into a standard 110 outlet. Features a glass lined tank for longer life and a temperature/pressure relief valve.

