


# Mail Sorter Specification Sheet

## SMS-04-V90-S

### How to Specify Your Options

Riser Option	Pass Through
Closed	Po3 = 3" Open
Eo3 = 3" Riser	Po6 = 6" Open
Eo6 = 6" Riser	P12 = 12" Open
E12 = 12" Riser	P18 = 18" Open
E18 = 18" Riser	Leave blank if no riser desired.



**Slot Type**  
 S = Standard Size  
 L = Legal Size  
 O = Oversize

**Sorting Height**

**Riser Option**

**Plexiglass Doors**  
 F = Front  
 R = Rear  
 B = Both  
**Locks**

Locks (per door)	
Model #	Description
T	Thumb Latch
K	Key Locks

**O 3 - 3 6 P E o 6 x F C T**

**Number of Columns**

**Back**  
 C = Closed  
 O = Open  
 P = Plexiglass

**Display Board**  
 x = No Board  
 Y = Board

**Plexiglass Color**

Plexiglass Color	
Model #	Description
x	No
S	Smoke
C	Clear

See page 60 for color codes.

### Notes

- To calculate the sorting inches per column, take the total height of the unit, subtract any riser, subtract 2" for the top and bottom of the unit.  
 Example: S5-30E6; 36 (total height) - 6 (riser) - 2 (top & bottom) = 28 sorting inches per column x 5 columns = 140 total sorting inches.
- Shelf supports are adjustable on 1" increments.
- Modules with sorting heights of 18", 24" and 30" include five shelves per column, providing a total of six mail slots per column. Modules with sorting heights of 36", 42" and 48" include seven shelves per column, providing a total of eight mail slots per column. Example: An S5-30 has five shelves for each of the five columns for a total of 25 shelves. Six slots for each of the five columns equal a total of 30 mail slots.
- If a module has a riser, use the sorting height only to calculate the number of shelves included. Example: S5-30E6 has a total height of 36" but a sorting height of only 30". Five shelves are included with this module.
- Additional shelves may be ordered if more slots are required. Shelves may also be deleted if fewer slots are required.
- Inside Column Dimensions (between shelf supports)
 

Size	Inside Width	Inside Depth
Standard	10 1/8"	12"
Legal	10 1/8"	16"
Oversize	12 1/8"	16"
- Modules with 6" risers that are 54" or more in width have a center riser leg. All modules with 12" or 18" risers feature a 2" front fascia on the riser. (Clearance = riser height - 2"). All modules with 12" or 18" open risers have a 2" fascia on the riser front and back. Open-back modules with no riser have a 2" fascia across the upper rear. Open-back modules must have closed-back risers and modules with open-back risers must be closed back. These features help maintain stability of the unit.
- If module is to be mounted in the center of the table, order a Cx console (centered modesty, pg. 39) for additional support.
- Module width and depth cannot be modified. Reduction in the height of the overall module or riser requires an upcharge.
- When using a 3" riser you can retain the overall height of the module, by adding 3" to the sorting height. For example, an S5-42E6 would become an S5-45E3.
- Modules with 3" risers are closed in the front and back of the riser and fasten to the console with a locking cam accessed from outside of the module.
- All modules are shipped fully assembled. When getting freight quotes, specify Class 100. If dimensions are required, add 3" to each dimension for packing materials.



**Standard Closed Back, No Riser**



S4-36C

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18C	13 <sup>1</sup> / <sub>16</sub>	6	18	34
S2-18C	24 <sup>3</sup> / <sub>4</sub>	12	18	51
S3-18C	36 <sup>7</sup> / <sub>16</sub>	18	18	74
S4-18C	48 <sup>1</sup> / <sub>8</sub>	24	18	92
S5-18C	59 <sup>13</sup> / <sub>16</sub>	30	18	109
S6-18C	71 <sup>1</sup> / <sub>2</sub>	36	18	125
S1-24C	13 <sup>1</sup> / <sub>16</sub>	6	24	40
S2-24C	24 <sup>3</sup> / <sub>4</sub>	12	24	58
S3-24C	36 <sup>7</sup> / <sub>16</sub>	18	24	86
S4-24C	48 <sup>1</sup> / <sub>8</sub>	24	24	107
S5-24C	59 <sup>13</sup> / <sub>16</sub>	30	24	129
S6-24C	71 <sup>1</sup> / <sub>2</sub>	36	24	150
S1-30C	13 <sup>1</sup> / <sub>16</sub>	6	30	44
S2-30C	24 <sup>3</sup> / <sub>4</sub>	12	30	67
S3-30C	36 <sup>7</sup> / <sub>16</sub>	18	30	98
S4-30C	48 <sup>1</sup> / <sub>8</sub>	24	30	122
S5-30C	59 <sup>13</sup> / <sub>16</sub>	30	30	147
S6-30C	71 <sup>1</sup> / <sub>2</sub>	36	30	173
S1-36C	13 <sup>1</sup> / <sub>16</sub>	8	36	51
S2-36C	24 <sup>3</sup> / <sub>4</sub>	16	36	77
S3-36C	36 <sup>7</sup> / <sub>16</sub>	24	36	113
S4-36C	48 <sup>1</sup> / <sub>8</sub>	32	36	143
S5-36C	59 <sup>13</sup> / <sub>16</sub>	40	36	172
S6-36C	71 <sup>1</sup> / <sub>2</sub>	48	36	201
S1-42C	13 <sup>1</sup> / <sub>16</sub>	8	42	56
S2-42C	24 <sup>3</sup> / <sub>4</sub>	16	42	86
S3-42C	36 <sup>7</sup> / <sub>16</sub>	24	42	128
S4-42C	48 <sup>1</sup> / <sub>8</sub>	32	42	158
S5-42C	59 <sup>13</sup> / <sub>16</sub>	40	42	191
S6-42C	71 <sup>1</sup> / <sub>2</sub>	48	42	224
S1-48C	13 <sup>1</sup> / <sub>16</sub>	8	48	62
S2-48C	24 <sup>3</sup> / <sub>4</sub>	16	48	95
S3-48C	36 <sup>7</sup> / <sub>16</sub>	24	48	141
S4-48C	48 <sup>1</sup> / <sub>8</sub>	32	48	174
S5-48C	59 <sup>13</sup> / <sub>16</sub>	40	48	210
S6-48C	71 <sup>1</sup> / <sub>2</sub>	48	48	246

Depth on all Standard-Size Sort Modules is 12<sup>7</sup>/<sub>8</sub>".

**Standard Closed Back, 3" Riser**



S4-36CE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18CE03	13 <sup>1</sup> / <sub>16</sub>	6	21	37
S2-18CE03	24 <sup>3</sup> / <sub>4</sub>	12	21	54
S3-18CE03	36 <sup>7</sup> / <sub>16</sub>	18	21	77
S4-18CE03	48 <sup>1</sup> / <sub>8</sub>	24	21	95
S5-18CE03	59 <sup>13</sup> / <sub>16</sub>	30	21	112
S6-18CE03	71 <sup>1</sup> / <sub>2</sub>	36	21	128

**Standard Closed Back, 3" Riser (cont.)**

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-24CE03	13 <sup>1</sup> / <sub>16</sub>	6	27	43
S2-24CE03	24 <sup>3</sup> / <sub>4</sub>	12	27	61
S3-24CE03	36 <sup>7</sup> / <sub>16</sub>	18	27	89
S4-24CE03	48 <sup>1</sup> / <sub>8</sub>	24	27	110
S5-24CE03	59 <sup>13</sup> / <sub>16</sub>	30	27	132
S6-24CE03	71 <sup>1</sup> / <sub>2</sub>	36	27	153
S1-30CE03	13 <sup>1</sup> / <sub>16</sub>	6	33	47
S2-30CE03	24 <sup>3</sup> / <sub>4</sub>	12	33	70
S3-30CE03	36 <sup>7</sup> / <sub>16</sub>	18	33	101
S4-30CE03	48 <sup>1</sup> / <sub>8</sub>	24	33	125
S5-30CE03	59 <sup>13</sup> / <sub>16</sub>	30	33	150
S6-30CE03	71 <sup>1</sup> / <sub>2</sub>	36	33	176
S1-36CE03	13 <sup>1</sup> / <sub>16</sub>	8	39	54
S2-36CE03	24 <sup>3</sup> / <sub>4</sub>	16	39	80
S3-36CE03	36 <sup>7</sup> / <sub>16</sub>	24	39	116
S4-36CE03	48 <sup>1</sup> / <sub>8</sub>	32	39	146
S5-36CE03	59 <sup>13</sup> / <sub>16</sub>	40	39	175
S6-36CE03	71 <sup>1</sup> / <sub>2</sub>	48	39	204
S1-42CE03	13 <sup>1</sup> / <sub>16</sub>	8	45	59
S2-42CE03	24 <sup>3</sup> / <sub>4</sub>	16	45	89
S3-42CE03	36 <sup>7</sup> / <sub>16</sub>	24	45	131
S4-42CE03	48 <sup>1</sup> / <sub>8</sub>	32	45	161
S5-42CE03	59 <sup>13</sup> / <sub>16</sub>	40	45	194
S6-42CE03	71 <sup>1</sup> / <sub>2</sub>	48	45	227

Depth on all Standard-Size Sort Modules is 12<sup>7</sup>/<sub>8</sub>".  
For open riser, change model # to P  
(for pass-through).

**Standard Closed Back, 6" Riser**



S3-30CE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18CE06	13 <sup>1</sup> / <sub>16</sub>	6	24	39
S2-18CE06	24 <sup>3</sup> / <sub>4</sub>	12	24	56
S3-18CE06	36 <sup>7</sup> / <sub>16</sub>	18	24	81
S4-18CE06	48 <sup>1</sup> / <sub>8</sub>	24	24	100
S5-18CE06	59 <sup>13</sup> / <sub>16</sub>	30	24	122
S6-18CE06	71 <sup>1</sup> / <sub>2</sub>	36	24	144
S1-24CE06	13 <sup>1</sup> / <sub>16</sub>	6	30	44
S2-24CE06	24 <sup>3</sup> / <sub>4</sub>	12	30	65
S3-24CE06	36 <sup>7</sup> / <sub>16</sub>	18	30	95
S4-24CE06	48 <sup>1</sup> / <sub>8</sub>	24	30	117
S5-24CE06	59 <sup>13</sup> / <sub>16</sub>	30	30	141
S6-24CE06	71 <sup>1</sup> / <sub>2</sub>	36	30	165
S1-30CE06	13 <sup>1</sup> / <sub>16</sub>	6	36	48
S2-30CE06	24 <sup>3</sup> / <sub>4</sub>	12	36	73
S3-30CE06	36 <sup>7</sup> / <sub>16</sub>	18	36	107
S4-30CE06	48 <sup>1</sup> / <sub>8</sub>	24	36	132
S5-30CE06	59 <sup>13</sup> / <sub>16</sub>	30	36	160
S6-30CE06	71 <sup>1</sup> / <sub>2</sub>	36	36	188
S1-36CE06	13 <sup>1</sup> / <sub>16</sub>	8	42	56



**Standard Closed Back, 6" Riser (cont.)**

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S2-36CE06	24 <sup>3/4</sup>	16	42	84
S3-36CE06	36 <sup>7/16</sup>	24	42	122
S4-36CE06	48 <sup>1/8</sup>	32	42	153
S5-36CE06	59 <sup>13/16</sup>	40	42	185
S6-36CE06	71 <sup>1/2</sup>	48	42	218
S1-42CE06	13 <sup>1/16</sup>	8	48	64
S2-42CE06	24 <sup>3/4</sup>	16	48	95
S3-42CE06	36 <sup>7/16</sup>	24	48	138
S4-42CE06	48 <sup>1/8</sup>	32	48	173
S5-42CE06	59 <sup>13/16</sup>	40	48	185
S6-42CE06	71 <sup>1/2</sup>	48	48	197

Depth on all Standard-Size Sort Modules is 12<sup>7/8</sup>".  
 For open riser, change model # to P  
 (for pass-through).

**Standard Closed Back, 18" Riser**



S4-30CE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18CE18	13 <sup>1/16</sup>	6	36	47
S2-18CE18	24 <sup>3/4</sup>	12	36	68
S3-18CE18	36 <sup>7/16</sup>	18	36	98
S4-18CE18	48 <sup>1/8</sup>	24	36	120
S5-18CE18	59 <sup>13/16</sup>	30	36	147
S6-18CE18	71 <sup>1/2</sup>	36	36	176
S1-24CE18	13 <sup>1/16</sup>	6	42	54
S2-24CE18	24 <sup>3/4</sup>	12	42	77
S3-24CE18	36 <sup>7/16</sup>	18	42	110
S4-24CE18	48 <sup>1/8</sup>	24	42	135
S5-24CE18	59 <sup>13/16</sup>	30	42	167
S6-24CE18	71 <sup>1/2</sup>	36	42	198
S1-30CE18	13 <sup>1/16</sup>	6	48	61
S2-30CE18	24 <sup>3/4</sup>	12	48	86
S3-30CE18	36 <sup>7/16</sup>	18	48	122
S4-30CE18	48 <sup>1/8</sup>	24	48	152
S5-30CE18	59 <sup>13/16</sup>	30	48	186
S6-30CE18	71 <sup>1/2</sup>	36	48	221

Depth on all Standard-Size Sort Modules is 12<sup>7/8</sup>".  
 For open riser, change model # to P  
 (for pass-through).

**Standard Closed Back, 12" Riser**




S4-24CE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18CE12	13 <sup>1/16</sup>	6	30	44
S2-18CE12	24 <sup>3/4</sup>	12	30	63
S3-18CE12	36 <sup>7/16</sup>	18	30	89
S4-18CE12	48 <sup>1/8</sup>	24	30	110
S5-18CE12	59 <sup>13/16</sup>	30	30	134
S6-18CE12	71 <sup>1/2</sup>	36	30	158
S1-24CE12	13 <sup>1/16</sup>	6	36	48
S2-24CE12	24 <sup>3/4</sup>	12	36	70
S3-24CE12	36 <sup>7/16</sup>	18	36	101
S4-24CE12	48 <sup>1/8</sup>	24	36	125
S5-24CE12	59 <sup>13/16</sup>	30	36	154
S6-24CE12	71 <sup>1/2</sup>	36	36	182
S1-30CE12	13 <sup>1/16</sup>	6	42	55
S2-30CE12	24 <sup>3/4</sup>	12	42	79
S3-30CE12	36 <sup>7/16</sup>	18	42	113
S4-30CE12	48 <sup>1/8</sup>	24	42	142
S5-30CE12	59 <sup>13/16</sup>	30	42	173
S6-30CE12	71 <sup>1/2</sup>	36	42	205
S1-36CE12	13 <sup>1/16</sup>	8	48	62
S2-36CE12	24 <sup>3/4</sup>	16	48	88
S3-36CE12	36 <sup>7/16</sup>	24	48	125
S4-36CE12	48 <sup>1/8</sup>	32	48	157
S5-36CE12	59 <sup>13/16</sup>	40	48	193
S6-36CE12	71 <sup>1/2</sup>	48	48	228

Depth on all Standard-Size Sort Modules is 12<sup>7/8</sup>".  
 For open riser, change model # to P  
 (for pass-through).

**Standard Plexiglass Back, No Riser**



S4-36P

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18P	13 <sup>1/16</sup>	6	18	34
S2-18P	24 <sup>3/4</sup>	12	18	51
S3-18P	36 <sup>7/16</sup>	18	18	67
S4-18P	48 <sup>1/8</sup>	24	18	84
S5-18P	59 <sup>13/16</sup>	30	18	99
S6-18P	71 <sup>1/2</sup>	36	18	114
S1-24P	13 <sup>1/16</sup>	6	24	40
S2-24P	24 <sup>3/4</sup>	12	24	58
S3-24P	36 <sup>7/16</sup>	18	24	78



### Standard Plexiglass Back, No Riser (cont.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S4-24P	48 <sup>1</sup> / <sub>8</sub>	24	24	97
S5-24P	59 <sup>13</sup> / <sub>16</sub>	30	24	117
S6-24P	71 <sup>1</sup> / <sub>2</sub>	36	24	136
S1-30P	13 <sup>1</sup> / <sub>16</sub>	6	30	44
S2-30P	24 <sup>3</sup> / <sub>4</sub>	12	30	67
S3-30P	36 <sup>7</sup> / <sub>16</sub>	18	30	89
S4-30P	48 <sup>1</sup> / <sub>8</sub>	24	30	111
S5-30P	59 <sup>13</sup> / <sub>16</sub>	30	30	134
S6-30P	71 <sup>1</sup> / <sub>2</sub>	36	30	157
S1-36P	13 <sup>1</sup> / <sub>16</sub>	8	36	51
S2-36P	24 <sup>3</sup> / <sub>4</sub>	16	36	77
S3-36P	36 <sup>7</sup> / <sub>16</sub>	24	36	103
S4-36P	48 <sup>1</sup> / <sub>8</sub>	32	36	130
S5-36P	59 <sup>13</sup> / <sub>16</sub>	40	36	156
S6-36P	71 <sup>1</sup> / <sub>2</sub>	48	36	183
S1-42P	13 <sup>1</sup> / <sub>16</sub>	8	42	56
S2-42P	24 <sup>3</sup> / <sub>4</sub>	16	42	86
S3-42P	36 <sup>7</sup> / <sub>16</sub>	24	42	116
S4-42P	48 <sup>1</sup> / <sub>8</sub>	32	42	144
S5-42P	59 <sup>13</sup> / <sub>16</sub>	40	42	174
S6-42P	71 <sup>1</sup> / <sub>2</sub>	48	42	204
S1-48P	13 <sup>1</sup> / <sub>16</sub>	8	48	62
S2-48P	24 <sup>3</sup> / <sub>4</sub>	16	48	95
S3-48P	36 <sup>7</sup> / <sub>16</sub>	24	48	128
S4-48P	48 <sup>1</sup> / <sub>8</sub>	32	48	158
S5-48P	59 <sup>13</sup> / <sub>16</sub>	40	48	191
S6-48P	71 <sup>1</sup> / <sub>2</sub>	48	48	224

Depth on all Standard-Size Sort Modules is 12<sup>7</sup>/<sub>8</sub>".

### Standard Plexiglass Back, 3" Riser (cont.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-36PE03	13 <sup>1</sup> / <sub>16</sub>	8	39	54
S2-36PE03	24 <sup>3</sup> / <sub>4</sub>	16	39	80
S3-36PE03	36 <sup>7</sup> / <sub>16</sub>	24	39	106
S4-36PE03	48 <sup>1</sup> / <sub>8</sub>	32	39	133
S5-36PE03	59 <sup>13</sup> / <sub>16</sub>	40	39	159
S6-36PE03	71 <sup>1</sup> / <sub>2</sub>	48	39	186
S1-42PE03	13 <sup>1</sup> / <sub>16</sub>	8	45	59
S2-42PE03	24 <sup>3</sup> / <sub>4</sub>	16	45	89
S3-42PE03	36 <sup>7</sup> / <sub>16</sub>	24	45	119
S4-42PE03	48 <sup>1</sup> / <sub>8</sub>	32	45	147
S5-42PE03	59 <sup>13</sup> / <sub>16</sub>	40	45	177
S6-42PE03	71 <sup>1</sup> / <sub>2</sub>	48	45	207

Depth on all Standard-Size Sort Modules is 12<sup>7</sup>/<sub>8</sub>".  
For open riser, change model # to P  
(for pass-through).

### Standard Plexiglass Back, 6" Riser



S4-30PE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18PE06	13 <sup>1</sup> / <sub>16</sub>	6	24	39
S2-18PE06	24 <sup>3</sup> / <sub>4</sub>	12	24	56
S3-18PE06	36 <sup>7</sup> / <sub>16</sub>	18	24	74
S4-18PE06	48 <sup>1</sup> / <sub>8</sub>	24	24	91
S5-18PE06	59 <sup>13</sup> / <sub>16</sub>	30	24	111
S6-18PE06	71 <sup>1</sup> / <sub>2</sub>	36	24	131
S1-24PE06	13 <sup>1</sup> / <sub>16</sub>	6	30	44
S2-24PE06	24 <sup>3</sup> / <sub>4</sub>	12	30	65
S3-24PE06	36 <sup>7</sup> / <sub>16</sub>	18	30	86
S4-24PE06	48 <sup>1</sup> / <sub>8</sub>	24	30	106
S5-24PE06	59 <sup>13</sup> / <sub>16</sub>	30	30	128
S6-24PE06	71 <sup>1</sup> / <sub>2</sub>	36	30	150
S1-30PE06	13 <sup>1</sup> / <sub>16</sub>	6	36	48
S2-30PE06	24 <sup>3</sup> / <sub>4</sub>	12	36	73
S3-30PE06	36 <sup>7</sup> / <sub>16</sub>	18	36	97
S4-30PE06	48 <sup>1</sup> / <sub>8</sub>	24	36	120
S5-30PE06	59 <sup>13</sup> / <sub>16</sub>	30	36	145
S6-30PE06	71 <sup>1</sup> / <sub>2</sub>	36	36	171
S1-36PE06	13 <sup>1</sup> / <sub>16</sub>	8	42	56
S2-36PE06	24 <sup>3</sup> / <sub>4</sub>	16	42	84
S3-36PE06	36 <sup>7</sup> / <sub>16</sub>	24	42	111
S4-36PE06	48 <sup>1</sup> / <sub>8</sub>	32	42	139
S5-36PE06	59 <sup>13</sup> / <sub>16</sub>	40	42	168
S6-36PE06	71 <sup>1</sup> / <sub>2</sub>	48	42	198
S1-42PE06	13 <sup>1</sup> / <sub>16</sub>	8	48	64
S2-42PE06	24 <sup>3</sup> / <sub>4</sub>	16	48	95
S3-42PE06	36 <sup>7</sup> / <sub>16</sub>	24	48	125
S4-42PE06	48 <sup>1</sup> / <sub>8</sub>	32	48	157

### Standard Plexiglass Back, 3" Riser



S4-36PE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S1-18PE03	13 <sup>1</sup> / <sub>16</sub>	6	21	37
S2-18PE03	24 <sup>3</sup> / <sub>4</sub>	12	21	54
S3-18PE03	36 <sup>7</sup> / <sub>16</sub>	18	21	70
S4-18PE03	48 <sup>1</sup> / <sub>8</sub>	24	21	87
S5-18PE03	59 <sup>13</sup> / <sub>16</sub>	30	21	102
S6-18PE03	71 <sup>1</sup> / <sub>2</sub>	36	21	117
S1-24PE03	13 <sup>1</sup> / <sub>16</sub>	6	27	43
S2-24PE03	24 <sup>3</sup> / <sub>4</sub>	12	27	61
S3-24PE03	36 <sup>7</sup> / <sub>16</sub>	18	27	81
S4-24PE03	48 <sup>1</sup> / <sub>8</sub>	24	27	100
S5-24PE03	59 <sup>13</sup> / <sub>16</sub>	30	27	120
S6-24PE03	71 <sup>1</sup> / <sub>2</sub>	36	27	139
S1-30PE03	13 <sup>1</sup> / <sub>16</sub>	6	33	47
S2-30PE03	24 <sup>3</sup> / <sub>4</sub>	12	33	70
S3-30PE03	36 <sup>7</sup> / <sub>16</sub>	18	33	92
S4-30PE03	48 <sup>1</sup> / <sub>8</sub>	24	33	114
S5-30PE03	59 <sup>13</sup> / <sub>16</sub>	30	33	137
S6-30PE03	71 <sup>1</sup> / <sub>2</sub>	36	33	160



### Standard Plexiglass Back, 6" Riser (cont.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S5-42PE06	59 <sup>13/16</sup>	40	48	191
S6-42PE06	71 <sup>1/2</sup>	48	48	226

Depth on all Standard-Size Sort Modules is 12<sup>7/8</sup>".

For open riser, change model # to P  
(for pass-through).

### Standard Plexiglass Back, 18" Riser (cont.)

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
S6-24PE18	71 <sup>1/2</sup>	36	42	180
S1-30PE18	13 <sup>1/16</sup>	6	48	54
S2-30PE18	24 <sup>3/4</sup>	12	48	77
S3-30PE18	36 <sup>7/16</sup>	18	48	100
S4-30PE18	48 <sup>1/8</sup>	24	48	138
S5-30PE18	59 <sup>13/16</sup>	30	48	169
S6-30PE18	71 <sup>1/2</sup>	36	48	201

Depth on all Standard-Size Sort Modules is 12<sup>7/8</sup>".

For open riser, change model # to P  
(for pass-through).

### Standard Plexiglass Back, 12" Riser



MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT	
S1-18PE12	13 <sup>1/16</sup>	6	30	44	
S2-18PE12	24 <sup>3/4</sup>	12	30	63	
S3-18PE12	36 <sup>7/16</sup>	18	30	81	
S4-18PE12	48 <sup>1/8</sup>	24	30	100	
S4-30PE12	S5-18PE12	59 <sup>13/16</sup>	30	30	122
S6-18PE12	71 <sup>1/2</sup>	36	30	144	
S1-24PE12	13 <sup>1/16</sup>	6	36	48	
S2-24PE12	24 <sup>3/4</sup>	12	36	70	
S3-24PE12	36 <sup>7/16</sup>	18	36	92	
S4-24PE12	48 <sup>1/8</sup>	24	36	114	
S5-24PE12	59 <sup>13/16</sup>	30	36	140	
S6-24PE12	71 <sup>1/2</sup>	36	36	165	
S1-30PE12	13 <sup>1/16</sup>	6	42	55	
S2-30PE12	24 <sup>3/4</sup>	12	42	79	
S3-30PE12	36 <sup>7/16</sup>	18	42	103	
S4-30PE12	48 <sup>1/8</sup>	24	42	129	
S5-30PE12	59 <sup>13/16</sup>	30	42	157	
S6-30PE12	71 <sup>1/2</sup>	36	42	186	
S1-36PE12	13 <sup>1/16</sup>	8	48	62	
S2-36PE12	24 <sup>3/4</sup>	16	48	88	
S3-36PE12	36 <sup>7/16</sup>	24	48	114	
S4-36PE12	48 <sup>1/8</sup>	32	48	143	
S5-36PE12	59 <sup>13/16</sup>	40	48	175	
S6-36PE12	71 <sup>1/2</sup>	48	48	207	

Depth on all Standard-Size Sort Modules is 12<sup>7/8</sup>".

For open riser, change model # to P  
(for pass-through).

### Standard Plexiglass Back, 18" Riser



MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT	
S1-18PE18	13 <sup>1/16</sup>	6	36	47	
S2-18PE18	24 <sup>3/4</sup>	12	36	68	
S3-18PE18	36 <sup>7/16</sup>	18	36	98	
S4-18PE18	48 <sup>1/8</sup>	24	36	109	
S4-24PE18	S5-18PE18	59 <sup>13/16</sup>	30	36	134
S6-18PE18	71 <sup>1/2</sup>	36	36	160	
S1-24PE18	13 <sup>1/16</sup>	6	42	59	
S2-24PE18	24 <sup>3/4</sup>	12	42	77	
S3-24PE18	36 <sup>7/16</sup>	18	42	95	
S4-24PE18	48 <sup>1/8</sup>	24	42	123	
S5-24PE18	59 <sup>13/16</sup>	30	42	152	

