


# Oversize Mail Sorter Specification Sheet

## SMS-04-V90-O

### How to Specify Your Options



Riser Option	Pass Through
Closed	Po3 = 3" Open
Eo3 = 3" Riser	Po6 = 6" Open
Eo6 = 6" Riser	P12 = 12" Open
E12 = 12" Riser	P18 = 18" Open
E18 = 18" Riser	Leave blank if no riser desired.

**Slot Type**  
 S = Standard Size  
 L = Legal Size  
 O = Oversize

Sorting Height

Riser Option

**Plexiglass Doors**  
 F = Front  
 R = Rear  
 B = Both

Locks

Locks (per door)	
Model #	Description
T	Thumb Latch
K	Key Locks

**0 3 - 3 6 P E o 6 x F C T**

Number of Columns

**Back**  
 C = Closed  
 O = Open  
 P = Plexiglass

Plexiglass Color

**Display Board**  
 x = No Board  
 Y = Board

Plexiglass Color	
Model #	Description
x	No
C	Clear
S	Smoke

### Notes

- To calculate the sorting inches per column, take the total height of the unit, subtract any riser, subtract 2" for the top and bottom of the unit. Example: S5-30E6; 36 (total height) - 6 (riser) - 2 (top & bottom) = 28 sorting inches per column x 5 columns = 140 total sorting inches.
- Shelf supports are adjustable on 1" increments.
- Modules with sorting heights of 18", 24" and 30" include five shelves per column, providing a total of six mail slots per column. Modules with sorting heights of 36", 42" and 48" include seven shelves per column, providing a total of eight mail slots per column. Example: An S5-30 has five shelves for each of the five columns for a total of 25 shelves. Six slots for each of the five columns equal a total of 30 mail slots.
- If a module has a riser, use the sorting height only to calculate the number of shelves included. Example: S5-30E6 has a total height of 36" but a sorting height of only 30". Five shelves are included with this module.
- Additional shelves may be ordered if more slots are required. Shelves may also be deleted if fewer slots are required.
- Inside Column Dimensions (between shelf supports)
 

Size	Inside Width	Inside Depth
Oversize	12 <sup>1</sup> / <sub>8</sub> "	16"

- Modules with 6" risers that are 54" or more in width have a center riser leg. All modules with 12" or 18" risers feature a 2" front fascia on the riser. (Clearance = riser height - 2"). All modules with 12" or 18" open risers have a 2" fascia on the riser front and back. Open-back modules with no riser have a 2" fascia across the upper rear. Open-back modules must have closed-back risers and modules with open-back risers must be closed back. These features help maintain stability of the unit.
- If module is to be mounted in the center of the table, order a Cx console (centered modesty, pg. 39) for additional support.
- Module width and depth cannot be modified. Reduction in the height of the overall module or riser requires an upcharge.
- When using a 3" riser you can retain the overall height of the module, by adding 3" to the sorting height. For example, an S5-42E6 would become an S5-45E3.
- Modules with 3" risers are closed in the front and back of the riser and fasten to the console with a locking cam accessed from outside of the module.
- All modules are shipped fully assembled. When getting freight quotes, specify Class 100. If dimensions are required, add 3" to each dimension for packing materials.



**Oversize Closed Back, No Riser**



O4-36C

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18C	15 1/16	6	18	42
O2-18C	28 3/4	12	18	65
O3-18C	42 7/16	18	18	97
O4-18C	56 7/8	24	18	121
O5-18C	69 13/16	30	18	146
O6-18C	83 1/2	36	18	172
O1-24C	15 1/16	6	24	50
O2-24C	28 3/4	12	24	76
O3-24C	42 7/16	18	24	112
O4-24C	56 7/8	24	24	142
O5-24C	69 13/16	30	24	172
O6-24C	83 1/2	36	24	202
O1-30C	15 1/16	6	30	56
O2-30C	28 3/4	12	30	87
O3-30C	42 7/16	18	30	130
O4-30C	56 7/8	24	30	162
O5-30C	69 13/16	30	30	196
O6-30C	83 1/2	36	30	230
O1-36C	15 1/16	8	36	64
O2-36C	28 3/4	16	36	100
O3-36C	42 7/16	24	36	150
O4-36C	56 7/8	32	36	190
O5-36C	69 13/16	40	36	229
O6-36C	83 1/2	48	36	267
O1-42C	15 1/16	8	42	72
O2-42C	28 3/4	16	42	111
O3-42C	42 7/16	24	42	166
O4-42C	56 7/8	32	42	210
O5-42C	69 13/16	40	42	254
O6-42C	83 1/2	48	42	298
O1-48C	15 1/16	8	48	99
O2-48C	28 3/4	16	48	129
O3-48C	42 7/16	24	48	182
O4-48C	56 7/8	32	48	231
O5-48C	69 13/16	40	48	279
O6-48C	83 1/2	48	48	328

Depth on all Oversize Sort Modules is 16 7/8".

**Oversize Closed Back, 3" Riser**



O4-30CE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18CE03	15 1/16	6	21	45
O2-18CE03	28 3/4	12	21	68
O3-18CE03	42 7/16	18	21	100
O4-18CE03	56 7/8	24	21	124
O5-18CE03	69 13/16	30	21	149
O6-18CE03	83 1/2	36	21	175
O1-24CE03	15 1/16	6	27	53
O2-24CE03	28 3/4	12	27	79

**Oversize Closed Back, 3" Riser (cont.)**

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O3-24CE03	42 7/16	18	27	115
O4-24CE03	56 7/8	24	27	145
O5-24CE03	69 13/16	30	27	175
O6-24CE03	83 1/2	36	27	205
O1-30CE03	15 1/16	6	33	59
O2-30CE03	28 3/4	12	33	90
O3-30CE03	42 7/16	18	33	133
O4-30CE03	56 7/8	24	33	165
O5-30CE03	69 13/16	30	33	199
O6-30CE03	83 1/2	36	33	233
O1-36CE03	15 1/16	8	39	67
O2-36CE03	28 3/4	16	39	103
O3-36CE03	42 7/16	24	39	153
O4-36CE03	56 7/8	32	39	193
O5-36CE03	69 13/16	40	39	232
O6-36CE03	83 1/2	48	39	270
O1-42CE03	15 1/16	8	45	75
O2-42CE03	28 3/4	16	45	114
O3-42CE03	42 7/16	24	45	169
O4-42CE03	56 7/8	32	45	213
O5-42CE03	69 13/16	40	45	257
O6-42CE03	83 1/2	48	45	301

Depth on all Oversize Sort Modules is 16 7/8".  
For open riser, change model # to P  
(for pass-through).

**Oversize Closed Back, 6" Riser**



O4-30CE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18CE06	15 1/16	6	24	48
O2-18CE06	28 3/4	12	24	73
O3-18CE06	42 7/16	18	24	107
O4-18CE06	56 7/8	24	24	135
O5-18CE06	69 13/16	30	24	162
O6-18CE06	83 1/2	36	24	189
O1-24CE06	15 1/16	6	30	55
O2-24CE06	28 3/4	12	30	84
O3-24CE06	42 7/16	18	30	123
O4-24CE06	56 7/8	24	30	156
O5-24CE06	69 13/16	30	30	188
O6-24CE06	83 1/2	36	30	219
O1-30CE06	15 1/16	6	36	63
O2-30CE06	28 3/4	12	36	95
O3-30CE06	42 7/16	18	36	140
O4-30CE06	56 7/8	24	36	177
O5-30CE06	69 13/16	30	36	212
O6-30CE06	83 1/2	36	36	246
O1-36CE06	15 1/16	8	42	69
O2-36CE06	28 3/4	16	42	108
O3-36CE06	42 7/16	24	42	161



**Oversize Closed Back, 6" Riser (cont.)**

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O4-36CEo6	56 <sup>1</sup> / <sub>8</sub>	32	42	204
O5-36CEo6	69 <sup>13</sup> / <sub>16</sub>	40	42	245
O6-36CEo6	83 <sup>1</sup> / <sub>2</sub>	48	42	288
O1-42CEo6	15 <sup>1</sup> / <sub>16</sub>	8	48	76
O2-42CEo6	28 <sup>3</sup> / <sub>4</sub>	16	48	121
O3-42CEo6	42 <sup>7</sup> / <sub>16</sub>	24	48	183
O4-42CEo6	56 <sup>1</sup> / <sub>8</sub>	32	48	230
O5-42CEo6	69 <sup>13</sup> / <sub>16</sub>	40	48	245
O6-42CEo6	83 <sup>1</sup> / <sub>2</sub>	48	48	262

Depth on all Oversize Sort Modules is 16<sup>7</sup>/<sub>8</sub>".  
For open riser, change model # to P  
(for pass-through).

**Oversize Closed Back, 12" Riser**



MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18CE12	15 <sup>1</sup> / <sub>16</sub>	6	30	55
O2-18CE12	28 <sup>3</sup> / <sub>4</sub>	12	30	80
O3-18CE12	42 <sup>7</sup> / <sub>16</sub>	18	30	118
O4-18CE12	56 <sup>1</sup> / <sub>8</sub>	24	30	150
O4-30CE12	69 <sup>13</sup> / <sub>16</sub>	30	30	179
O6-18CE12	83 <sup>1</sup> / <sub>2</sub>	36	30	208
O1-24CE12	15 <sup>1</sup> / <sub>16</sub>	6	36	62
O2-24CE12	28 <sup>3</sup> / <sub>4</sub>	12	36	91
O3-24CE12	42 <sup>7</sup> / <sub>16</sub>	18	36	133
O4-24CE12	56 <sup>1</sup> / <sub>8</sub>	24	36	171
O5-24CE12	69 <sup>13</sup> / <sub>16</sub>	30	36	204
O6-24CE12	83 <sup>1</sup> / <sub>2</sub>	36	36	237
O1-30CE12	15 <sup>1</sup> / <sub>16</sub>	6	42	69
O2-30CE12	28 <sup>3</sup> / <sub>4</sub>	12	42	102
O3-30CE12	42 <sup>7</sup> / <sub>16</sub>	18	42	149
O4-30CE12	56 <sup>1</sup> / <sub>8</sub>	24	42	191
O5-30CE12	69 <sup>13</sup> / <sub>16</sub>	30	42	229
O6-30CE12	83 <sup>1</sup> / <sub>2</sub>	36	42	266
O1-36CE12	15 <sup>1</sup> / <sub>16</sub>	8	48	77
O2-36CE12	28 <sup>3</sup> / <sub>4</sub>	16	48	113
O3-36CE12	42 <sup>7</sup> / <sub>16</sub>	24	48	165
O4-36CE12	56 <sup>1</sup> / <sub>8</sub>	32	48	212
O5-36CE12	69 <sup>13</sup> / <sub>16</sub>	40	48	254
O6-36CE12	83 <sup>1</sup> / <sub>2</sub>	48	48	297

Depth on all Oversize Sort Modules is 16<sup>7</sup>/<sub>8</sub>".  
For open riser, change model # to P (for pass-through)  
at no additional charge.

**Oversize Closed Back, 18" Riser (cont.)**

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O5-18CE18	69 <sup>13</sup> / <sub>16</sub>	30	36	195
O6-18CE18	83 <sup>1</sup> / <sub>2</sub>	36	36	226
O1-24CE18	15 <sup>1</sup> / <sub>16</sub>	6	42	67
O2-24CE18	28 <sup>3</sup> / <sub>4</sub>	12	42	99
O3-24CE18	42 <sup>7</sup> / <sub>16</sub>	18	42	144
O4-24CE18	56 <sup>1</sup> / <sub>8</sub>	24	42	185
O5-24CE18	69 <sup>13</sup> / <sub>16</sub>	30	42	220
O6-24CE18	83 <sup>1</sup> / <sub>2</sub>	36	42	255
O1-30CE18	15 <sup>1</sup> / <sub>16</sub>	6	48	74
O2-30CE18	28 <sup>3</sup> / <sub>4</sub>	12	48	110
O3-30CE18	42 <sup>7</sup> / <sub>16</sub>	18	48	161
O4-30CE18	56 <sup>1</sup> / <sub>8</sub>	24	48	206
O5-30CE18	69 <sup>13</sup> / <sub>16</sub>	30	48	245
O6-30CE18	83 <sup>1</sup> / <sub>2</sub>	36	48	286

Depth on all Oversize Sort Modules is 16<sup>7</sup>/<sub>8</sub>".  
For open riser, change model # to P  
(for pass-through).

**Oversize Closed Back, 18" Riser**



MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18CE18	15 <sup>1</sup> / <sub>16</sub>	6	36	61
O2-18CE18	28 <sup>3</sup> / <sub>4</sub>	12	36	88
O3-18CE18	42 <sup>7</sup> / <sub>16</sub>	18	36	128
O4-18CE18	56 <sup>1</sup> / <sub>8</sub>	24	36	165
O4-24CE18				



### Oversize Plexiglass Back, No Riser



O4-36P

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18P	15 <sup>1/16</sup>	6	18	42
O2-18P	28 <sup>3/4</sup>	12	18	65
O3-18P	42 <sup>7/16</sup>	18	18	88
O4-18P	56 <sup>1/8</sup>	24	18	110
O5-18P	69 <sup>13/16</sup>	30	18	133
O6-18P	83 <sup>1/2</sup>	36	18	156
O1-24P	15 <sup>1/16</sup>	6	24	50
O2-24P	28 <sup>3/4</sup>	12	24	76
O3-24P	42 <sup>7/16</sup>	18	24	102
O4-24P	56 <sup>1/8</sup>	24	24	129
O5-24P	69 <sup>13/16</sup>	30	24	156
O6-24P	83 <sup>1/2</sup>	36	24	184
O1-30P	15 <sup>1/16</sup>	6	30	56
O2-30P	28 <sup>3/4</sup>	12	30	87
O3-30P	42 <sup>7/16</sup>	18	30	118
O4-30P	56 <sup>1/8</sup>	24	30	147
O5-30P	69 <sup>13/16</sup>	30	30	178
O6-30P	83 <sup>1/2</sup>	36	30	209
O1-36P	15 <sup>1/16</sup>	8	36	64
O2-36P	28 <sup>3/4</sup>	16	36	100
O3-36P	42 <sup>7/16</sup>	24	36	136
O4-36P	56 <sup>1/8</sup>	32	36	173
O5-36P	69 <sup>13/16</sup>	40	36	208
O6-36P	83 <sup>1/2</sup>	48	36	243
O1-42P	15 <sup>1/16</sup>	8	42	72
O2-42P	28 <sup>3/4</sup>	16	42	111
O3-42P	42 <sup>7/16</sup>	24	42	151
O4-42P	56 <sup>1/8</sup>	32	42	191
O5-42P	69 <sup>13/16</sup>	40	42	231
O6-42P	83 <sup>1/2</sup>	48	42	271
O1-48P	15 <sup>1/16</sup>	8	48	79
O2-48P	28 <sup>3/4</sup>	16	48	122
O3-48P	42 <sup>7/16</sup>	24	48	165
O4-48P	56 <sup>1/8</sup>	32	48	210
O5-48P	69 <sup>13/16</sup>	40	48	254
O6-48P	83 <sup>1/2</sup>	48	48	298

Depth on all Oversize Sort Modules is 16<sup>7/8</sup>".

### Oversize Plexiglass Back, 18" Riser



O4-30PE18

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18PE18	15 <sup>1/16</sup>	6	36	61
O2-18PE18	28 <sup>3/4</sup>	12	36	88
O3-18PE18	42 <sup>7/16</sup>	18	36	116
O4-18PE18	56 <sup>1/8</sup>	24	36	150
O5-18PE18	69 <sup>13/16</sup>	30	36	177
O6-18PE18	83 <sup>1/2</sup>	36	36	205
O1-24PE18	15 <sup>1/16</sup>	6	42	77
O2-24PE18	28 <sup>3/4</sup>	12	42	99
O3-24PE18	42 <sup>7/16</sup>	18	42	121
O4-24PE18	56 <sup>1/8</sup>	24	42	168
O5-24PE18	69 <sup>13/16</sup>	30	42	200
O6-24PE18	83 <sup>1/2</sup>	36	42	232
O1-30PE18	15 <sup>1/16</sup>	6	48	72
O2-30PE18	28 <sup>3/4</sup>	12	48	99
O3-30PE18	42 <sup>7/16</sup>	18	48	127
O4-30PE18	56 <sup>1/8</sup>	24	48	187
O5-30PE18	69 <sup>13/16</sup>	30	48	223
O6-30PE18	83 <sup>1/2</sup>	36	48	260

Depth on all Oversize Sort Modules is 16<sup>7/8</sup>".

For open riser, change model # to P

(for pass-through).



### Oversize Plexiglass Back, 3" Riser



O4-36PE03

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18PE03	15 1/16	6	21	45
O2-18PE03	28 3/4	12	21	68
O3-18PE03	42 7/16	18	21	91
O4-18PE03	56 1/8	24	21	113
O5-18PE03	69 13/16	30	21	136
O6-18PE03	83 1/2	36	21	159
O1-24PE03	15 1/16	6	27	53
O2-24PE03	28 3/4	12	27	79
O3-24PE03	42 7/16	18	27	105
O4-24PE03	56 1/8	24	27	132
O5-24PE03	69 13/16	30	27	159
O6-24PE03	83 1/2	36	27	187
O1-30PE03	15 1/16	6	33	59
O2-30PE03	28 3/4	12	33	90
O3-30PE03	42 7/16	18	33	121
O4-30PE03	56 1/8	24	33	150
O5-30PE03	69 13/16	30	33	181
O6-30PE03	83 1/2	36	33	212
O1-36PE03	15 1/16	8	39	67
O2-36PE03	28 3/4	16	39	103
O3-36PE03	42 7/16	24	39	139
O4-36PE03	56 1/8	32	39	176
O5-36PE03	69 13/16	40	39	211
O6-36PE03	83 1/2	48	39	246
O1-42PE03	15 1/16	8	45	75
O2-42PE03	28 3/4	16	45	114
O3-42PE03	42 7/16	24	45	154
O4-42PE03	56 1/8	32	45	194
O5-42PE03	69 13/16	40	45	234
O6-42PE03	83 1/2	48	45	274

Depth on all Oversize Sort Modules = 16 7/8".  
For open riser, change model # to P  
(for pass-through).


### Oversize Plexiglass Back, 6" Riser



O4-30PE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18PE06	15 1/16	6	24	48
O2-18PE06	28 3/4	12	24	73
O3-18PE06	42 7/16	18	24	97
O4-18PE06	56 1/8	24	24	123
O5-18PE06	69 13/16	30	24	147
O6-18PE06	83 1/2	36	24	172
O1-24PE06	15 1/16	6	30	55
O2-24PE06	28 3/4	12	30	84
O3-24PE06	42 7/16	18	30	112
O4-24PE06	56 1/8	24	30	142
O5-24PE06	69 13/16	30	30	171
O6-24PE06	83 1/2	36	30	199
O1-30PE06	15 1/16	6	36	63

### Oversize Plexiglass Back, 6" Riser (cont.)



O4-30PE06

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O2-30PE06	28 3/4	12	36	95
O3-30PE06	42 7/16	18	36	127
O4-30PE06	56 1/8	24	36	161
O5-30PE06	69 13/16	30	36	193
O6-30PE06	83 1/2	36	36	224
O1-36PE06	15 1/16	8	42	69
O2-36PE06	28 3/4	16	42	108
O3-36PE06	42 7/16	24	42	146
O4-36PE06	56 1/8	32	42	285
O5-36PE06	69 13/16	40	42	223
O6-36PE06	83 1/2	48	42	262
O1-42PE06	15 1/16	8	48	76
O2-42PE06	28 3/4	16	48	121
O3-42PE06	42 7/16	24	48	166
O4-42PE06	56 1/8	32	48	209
O5-42PE06	69 13/16	40	48	254
O6-42PE06	83 1/2	48	48	299

Depth on all Oversize Sort Modules = 16 7/8".  
For open riser, change model # to P  
(for pass-through).

### Oversize Plexiglass Back, 12" Riser



O4-24PE12

MODEL #	WIDTH	SLOTS	HEIGHT	WEIGHT
O1-18PE12	15 1/16	6	30	55
O2-18PE12	28 3/4	12	30	80
O3-18PE12	42 7/16	18	30	107
O4-18PE12	56 1/8	24	30	136
O5-18PE12	69 13/16	30	30	163
O6-18PE12	83 1/2	36	30	189
O1-24PE12	15 1/16	6	36	62
O2-24PE12	28 3/4	12	36	91
O3-24PE12	42 7/16	18	36	121
O4-24PE12	56 1/8	24	36	155
O5-24PE12	69 13/16	30	36	185
O6-24PE12	83 1/2	36	36	215
O1-30PE12	15 1/16	6	42	69
O2-30PE12	28 3/4	12	42	102
O3-30PE12	42 7/16	18	42	135
O4-30PE12	56 1/8	24	42	174
O5-30PE12	69 13/16	30	42	208
O6-30PE12	83 1/2	36	42	242
O1-36PE12	15 1/16	8	48	77
O2-36PE12	28 3/4	16	48	113
O3-36PE12	42 7/16	24	48	150
O4-36PE12	56 1/8	32	48	193
O5-36PE12	69 13/16	40	48	231
O6-36PE12	83 1/2	48	48	270

Depth on all Oversize Sort Modules is 16 7/8".  
For open riser, change model # to P  
(for pass-through).

