

# WIRE MESH CABINET - SMS-05-V87-S

## Multi-Compartment Compact Storage Locker

- All-welded construction
- Available with two or three separate locking compartments
- Doors feature padlockable slide latch
- Doors open a full 270 degrees
- 4" underclearance for transport by pallet truck or fork lift
- Overall height: 78"
- Footpads have 5/8" lag holes for mounting to floor
- Powder coated gray finish
- 13 gauge expanded metal
- 14 gauge shelves



Model  
SMS - SL1-2D-2424

2 Compartments 34" Shelf Clearance		
Interior D x W	Model No.	Wt.
24 x 24	SMS-SL1-2D-2424	164



Model  
SMS - SL1-3048-6PYFL

## All-Welded Mobile Storage Lockers

### 2000 lbs. Capacity

- 13 gauge expanded metal
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- Overall height: 81"
- Interior height: 72"
- 6" non-marking polyurethane wheels with floor lock
- Ships fully assembled, ready for immediate use
- Powder coated gray finish

Interior* D x W	No Center Shelf		1 Center Shelf		2 Center Shelves	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
30 x 48	SMS-SLN-3048-6PYFL	279	SMS-SL1-3048-6PYFL	308	SMS-SL2-3048-6PYFL	345
30 x 60	SMS-SLN-3060-6PYFL	314	SMS-SL1-3060-6PYFL	358	SMS-SL2-3060-6PYFL	395

Interior* D x W	1 Adjustable Shelf		2 Adjustable Shelves	
	Model No.	Wt.	Model No.	Wt.
30 x 48	SMS-SL1A-3048-6PYFL	344	SMS-SL2A-3048-6PYFL	375
30 x 60	SMS-SL1A-3060-6PYFL	386	SMS-SL2A-3060-6PYFL	425

\* Note: For Outside Dimensions- Depth add 3", Width add 1"



# WIRE MESH CABINET – SMS-05-V87-S

## All-Welded Storage Lockers

- 1,000 lbs. capacity per shelf, not to exceed 2,000 lbs. total
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- 4" underclearance for transport by pallet truck or fork lift
- Interior height: 72", overall height: 78"
- Ships fully assembled, ready for immediate use
- Footpads with 5/8" lag hole

Interior* D x W	No Center Shelves		1 Center Shelf	
	Model No.	Wt.	Model No.	Wt.
24 x 48	SMS-SLN-2448	230	SMS-SL1-2448	253
24 x 60	SMS-SLN-2460	258	SMS-SL1-2460	287
30 x 48	SMS-SLN-3048	241	SMS-SL1-3048	270
30 x 60	SMS-SLN-3060	276	SMS-SL1-3060	312

\* Note: For Outside Dimensions- Depth add 3", Width add 1"



Model  
SMS - SLN-3048

## Adjustable Shelf Models

- 750 lbs. capacity per shelf, not to exceed 2,000 lbs. total
- Available with one, two, or three adjustable gauge shelves
- Adjustable on 3-1/2" centers

Interior* D x W	1 Adjustable Center Shelf		2 Adjustable Center Shelves	
	Model No.	Wt.	Model No.	Wt.
24 x 48	SMS-SL1-A-2448	289		
24 x 60	SMS-SL1-A-2460	323		
30 x 48	SMS-SL1-A-3048	306	SMS-SL2-A-3048	337
30 x 60	SMS-SL1-A-3060	348	SMS-SL2-A-3060	387

\* Note: For Outside Dimensions- Depth add 3", Width add 1"



Model  
SMS - SL2-A-3048



# WIRE MESH CABINET – SMS-05-V87-S



**Model**  
**SMS - SL1-2448-PB**

## Tool Storage Locker with Pegboard or Louvered Panel

- 48" high, 16 gauge steel pegboard or louvered panel
- 13 gauge steel mesh sides
- Double doors with padlockable slide latch
- Doors open a full 270 degrees
- Shelf under pegboard or louvered panel
- Overall height: 78"
- Interior height: 72"
- 4" underclearance for transport by pallet truck or fork lift
- Pegs and bins not included
- Footpads with 5/8" lag holes

Interior* D x W	Pegboard Panel		Louvered Panel	
	Model No.	Wt.	Model No.	Wt.
24 x 48	SMS-SL1-2448-PB	296	SMS-SL1-2448-LP	296
24 x 60	SMS-SL1-2460-PB	339	SMS-SL1-2460-LP	339
30 x 48	SMS-SL1-3048-PB	312	SMS-SL1-3048-LP	312
30 x 60	SMS-SL1-3060-PB	364	SMS-SL1-3060-LP	364

\* Note: For Outside Dimensions- Depth add 3", Width add 1"



**Model**  
**SMS - SL5-2424-78**

## Compact Storage Locker

- Five 14 gauge shelves
- Door features a padlockable slide latch
- Door opens a full 270 degrees
- 4" underclearance for transport by pallet truck or fork lift
- Overall height: 78"
- 13 gauge expanded metal
- Footpads have 5/8" lag holes for mounting to floor
- All-welded construction
- Powder coated gray finish

Interior* D x W	Model No.	Wt.
24 x 24	SMS-SL5-2424-78	223

Shelf clearance from bottom to top: 16.5", 16.5", 12", 10", 10".

\* Note: For Outside Dimensions- Depth add 3", Width add 1"

