

Cantilever Wire Shelving Specification Sheet

SMS-08-V69-Q*

Q-LEVER® Cantilever Shelving—4-Tier Units with Wire Shelves, 76" Height

Short Form Specifications

Eagle Q-LEVER® Cantilever Shelving, model _____, 4-Tier units feature 76"-high uprights and all-wire shelves. Maximum accessibility and productivity. No wall bolting required. Uprights utilize adjustment in 2" increments without the use of tools. Can be expanded side-to-side. Shelves offered with Valu-Master® gray or Valu-Gard® green epoxy finish. Valu-Master® gray epoxy on uprights.



MODELS:

- | | | | |
|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| <input type="checkbox"/> Q1824* | <input type="checkbox"/> Q2124* | <input type="checkbox"/> Q2424* | <input type="checkbox"/> Q3030* |
| <input type="checkbox"/> Q1830* | <input type="checkbox"/> Q2130* | <input type="checkbox"/> Q2430* | <input type="checkbox"/> Q3036* |
| <input type="checkbox"/> Q1836* | <input type="checkbox"/> Q2136* | <input type="checkbox"/> Q2436* | <input type="checkbox"/> Q3042* |
| <input type="checkbox"/> Q1842* | <input type="checkbox"/> Q2142* | <input type="checkbox"/> Q2442* | <input type="checkbox"/> Q3048* |
| <input type="checkbox"/> Q1848* | <input type="checkbox"/> Q2148* | <input type="checkbox"/> Q2448* | <input type="checkbox"/> Q3054* |
| <input type="checkbox"/> Q1854* | <input type="checkbox"/> Q2154* | <input type="checkbox"/> Q2454* | <input type="checkbox"/> Q3060* |
| <input type="checkbox"/> Q1860* | <input type="checkbox"/> Q2160* | <input type="checkbox"/> Q2460* | <input type="checkbox"/> Q3066* |
| <input type="checkbox"/> Q1866* | <input type="checkbox"/> Q2166* | <input type="checkbox"/> Q2466* | <input type="checkbox"/> Q3072* |
| <input type="checkbox"/> Q1872* | <input type="checkbox"/> Q2172* | <input type="checkbox"/> Q2472* | |

* See charts on back page for complete model numbers.

Design & Construction Features


- Includes two 76" uprights, two braces, four wire shelves, three pairs of brackets, X-brace assembly, and hardware.
- Cantilevered design improves accessibility and productivity.
- Wall bolting not required.
- Uprights utilize 2" adjustment for shelf and accessory spacing.
- Shelves and accessories can be easily adjusted without tools
- Can be expanded side-to-side with add-on units which share a common upright with existing unit, saving cost and space.
- Sizing available:
 - Widths: 18"; 21"; 24"; 30"
 - Lengths: 24"; 30"; 36"; 42"; 48"; 54"; 60"
 - Height (standard): 76"
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on the shelves.
- Valu-Master® gray epoxy finish on uprights.

Options / Accessories

- Wall Grids
- Hanger Rails
- Supply Bins
- Storage Baskets
- 36", 56", 66", or 86" optional height.



Q-LEVER[®] Shelving—4-Tier with All Wire Shelves, 76" Height



shelf length in. mm	unit** length in. mm	...WITH 18" (457mm)- WIDE SHELVES *		...WITH 21" (533mm)- WIDE SHELVES *		...WITH 24" (610mm)- WIDE SHELVES *		...WITH 30" (762mm)- WIDE SHELVES *			
		Shelves with Valu-Master [®] finish	Shelves with Valu-Gard [®] finish	Shelves with Valu-Master [®] finish	Shelves with Valu-Gard [®] finish	Shelves with Valu-Master [®] finish	Shelves with Valu-Gard [®] finish	Shelves with Valu-Master [®] finish	Shelves with Valu-Gard [®] finish		
24"	610	28"	711	Q1824V76-4	Q1824VG76-4	Q2124V76-4	Q2124VG76-4	Q2424V76-4	Q2424VG76-4	-	-
30"	762	34"	864	Q1830V76-4	Q1830VG76-4	Q2130V76-4	Q2130VG76-4	Q2430V76-4	Q2430VG76-4	Q3030V76-4	Q3030VG76-4
36"	914	40"	1016	Q1836V76-4	Q1836VG76-4	Q2136V76-4	Q2136VG76-4	Q2436V76-4	Q2436VG76-4	Q3036V76-4	Q3036VG76-4
42"	1067	46"	1168	Q1842V76-4	Q1842VG76-4	Q2142V76-4	Q2142VG76-4	Q2442V76-4	Q2442VG76-4	Q3042V76-4	Q3042VG76-4
48"	1219	52"	1320	Q1848V76-4	Q1848VG76-4	Q2148V76-4	Q2148VG76-4	Q2448V76-4	Q2448VG76-4	Q3048V76-4	Q3048VG76-4
54"	1372	58"	1473	Q1854V76-4	Q1854VG76-4	Q2154V76-4	Q2154VG76-4	Q2454V76-4	Q2454VG76-4	Q3054V76-4	Q3054VG76-4
60"	1524	64"	1626	Q1860V76-4	Q1860VG76-4	Q2160V76-4	Q2160VG76-4	Q2460V76-4	Q2460VG76-4	Q3060V76-4	Q3060VG76-4
66"	1676	70"	1778	Q1866V76-4	Q1866VG76-4	Q2166V76-4	Q2166VG76-4	Q2466V76-4	Q2466VG76-4	Q3066V76-4	Q3066VG76-4
72"	1829	76"	1930	Q1872V76-4	Q1872VG76-4	Q2172V76-4	Q2172VG76-4	Q2472V76-4	Q2472VG76-4	Q3072V76-4	Q3072VG76-4

* For unit width, add 5 inches to shelf width.
 ** Dimensions are nominal.



Q-LEVER® Cantilever Shelving—5-Tier Units with Wire Shelves, 86" Height

Short Form Specifications

Eagle Q-LEVER® Cantilever Shelving, model _____, 5-Tier units feature 86"-high uprights and all-wire shelves. Maximum accessibility and productivity. No wall bolting required. Uprights utilize adjustment in 2" increments without the use of tools. Can be expanded side-to-side. Shelves offered with Valu-Master® gray or Valu-Gard® green epoxy finish. Valu-Master® gray epoxy on uprights.



Options / Accessories

- Wall Grids
- Hanger Rails
- Supply Bins
- Storage Baskets
- 36", 56", 66", or 76" optional height.

MODELS:

- | | | | |
|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| <input type="checkbox"/> Q1824*5 | <input type="checkbox"/> Q2124*5 | <input type="checkbox"/> Q2424*5 | <input type="checkbox"/> Q3030*5 |
| <input type="checkbox"/> Q1830*5 | <input type="checkbox"/> Q2130*5 | <input type="checkbox"/> Q2430*5 | <input type="checkbox"/> Q3036*5 |
| <input type="checkbox"/> Q1836*5 | <input type="checkbox"/> Q2136*5 | <input type="checkbox"/> Q2436*5 | <input type="checkbox"/> Q3042*5 |
| <input type="checkbox"/> Q1842*5 | <input type="checkbox"/> Q2142*5 | <input type="checkbox"/> Q2442*5 | <input type="checkbox"/> Q3048*5 |
| <input type="checkbox"/> Q1848*5 | <input type="checkbox"/> Q2148*5 | <input type="checkbox"/> Q2448*5 | <input type="checkbox"/> Q3054*5 |
| <input type="checkbox"/> Q1854*5 | <input type="checkbox"/> Q2154*5 | <input type="checkbox"/> Q2454*5 | <input type="checkbox"/> Q3060*5 |
| <input type="checkbox"/> Q1860*5 | <input type="checkbox"/> Q2160*5 | <input type="checkbox"/> Q2460*5 | <input type="checkbox"/> Q3066*5 |
| <input type="checkbox"/> Q1866*5 | <input type="checkbox"/> Q2166*5 | <input type="checkbox"/> Q2466*5 | <input type="checkbox"/> Q3072*5 |
| <input type="checkbox"/> Q1872*5 | <input type="checkbox"/> Q2172*5 | <input type="checkbox"/> Q2472*5 | |


* See charts on back page for complete model numbers.

Design & Construction Features

- Includes two 86" uprights, two braces, five wire shelves, four pairs of brackets, X-brace assembly, and hardware.
- Cantilevered design improves accessibility and productivity.
- Wall bolting not required.
- Uprights utilize 2" adjustment for shelf and accessory spacing.
- Shelves and accessories can be easily adjusted without tools
- Can be expanded side-to-side with add-on units which share a common upright with existing unit, saving cost and space.
- Sizing available:
 - Widths: 18"; 21"; 24"; 30"
 - Lengths: 24"; 30"; 36"; 42"; 48"; 54"; 60"
 - Height (standard): 86"
- Choice of Valu-Master® gray or Valu-Gard® green epoxy finish on the shelves.
- Valu-Master® gray epoxy finish on uprights.



Q-LEVER® Shelving—5-Tier with All Wire Shelves, 86" Height



shelf length in. mm	unit** length in. mm	...WITH 18" (457mm)- WIDE SHELVES *				...WITH 21" (533mm)- WIDE SHELVES *				...WITH 24" (610mm)- WIDE SHELVES *				...WITH 30" (762mm)- WIDE SHELVES *				
		weight		model #		weight		model #		weight		model #		weight		model #		
lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	lbs.	kg	model #
Units with Valu-Master® Grey Epoxy Coated Shelves																		
24"	610	28"	711	166	75	Q1824V86-5	182	83	Q2124V86-5	189	86	Q2424V86-5	—	—	—	—	—	—
30"	762	34"	864	172	78	Q1830V86-5	183	83	Q2130V86-5	200	91	Q2430V86-5	240	109	Q3030V86-5	—	—	—
36"	914	40"	1016	178	81	Q1836V86-5	194	88	Q2136V86-5	211	96	Q2436V86-5	246	111	Q3036V86-5	—	—	—
42"	1067	46"	1168	189	86	Q1842V86-5	200	91	Q2142V86-5	222	101	Q2442V86-5	262	119	Q3042V86-5	—	—	—
48"	1219	52"	1320	195	88	Q1848V86-5	211	96	Q2148V86-5	228	103	Q2448V86-5	273	124	Q3048V86-5	—	—	—
54"	1372	58"	1473	211	96	Q1854V86-5	222	101	Q2154V86-5	244	111	Q2454V86-5	279	126	Q3054V86-5	—	—	—
60"	1524	64"	1626	222	101	Q1860V86-5	233	106	Q2160V86-5	255	116	Q2460V86-5	290	131	Q3060V86-5	—	—	—
66"	1676	70"	1778	239	108	Q1866V86-5	250	114	Q2166V86-5	272	123	Q2466V86-5	307	139	Q3066V86-5	—	—	—
72"	1829	76"	1930	241	109	Q1872V86-5	267	121	Q2172V86-5	284	129	Q2472V86-5	319	144	Q3072V86-5	—	—	—
Units with Valu-Gard® Green Epoxy Coated Shelves																		
24"	610	28"	711	166	75	Q1824VG86-5	182	83	Q2124VG86-5	189	86	Q2424VG86-5	—	—	—	—	—	—
30"	762	34"	864	172	78	Q1830VG86-5	183	83	Q2130VG86-5	200	92	Q2430VG86-5	240	109	Q3030VG86-5	—	—	—
36"	914	40"	1016	178	81	Q1836VG86-5	194	88	Q2136VG86-5	211	96	Q2436VG86-5	246	111	Q3036VG86-5	—	—	—
42"	1067	46"	1168	189	86	Q1842VG86-5	200	91	Q2142VG86-5	222	101	Q2442VG86-5	262	119	Q3042VG86-5	—	—	—
48"	1219	52"	1320	195	88	Q1848VG86-5	211	96	Q2148VG86-5	228	103	Q2448VG86-5	273	124	Q3048VG86-5	—	—	—
54"	1372	58"	1473	211	96	Q1854VG86-5	222	101	Q2154VG86-5	244	111	Q2454VG86-5	279	126	Q3054VG86-5	—	—	—
60"	1524	64"	1626	222	101	Q1860VG86-5	233	106	Q2160VG86-5	255	116	Q2460VG86-5	290	131	Q3060VG86-5	—	—	—
66"	1676	70"	1778	239	108	Q1866VG86-5	250	114	Q2166VG86-5	272	123	Q2466VG86-5	307	139	Q3066VG86-5	—	—	—
72"	1829	76"	1930	241	109	Q1872VG86-5	267	121	Q2172VG86-5	284	129	Q2472VG86-5	319	144	Q3072VG86-5	—	—	—

* For unit width, add 5 inches to shelf width.

** Dimensions are nominal.

